UC-NRLF
B 3 378 794



EX LIBRIS

MAIN LIBRARY-AGRICULTURE DEPT

BIOLOGY
LIBRARY
G

12392

PART I.

Cambridge:
PRINTED BY J. AND C. F. CLAY,
AT THE UNIVERSITY PRESS.

2nd Edition.

A

LIST

OF

BRITISH DIPTERA.

By G. H. VERRALL,

FELLOW OF THE ENTOMOLOGICAL SOCIETY OF LONDON.

Cambridge:

PRINTED AT THE UNIVERSITY PRESS.

1901

QL535
.4
Y42
1901

BIOLOGY
LIBRARY
G

MAIN LIBRARY-AGRICULTURE DEPT.

PREFACE.

A SECOND Edition of the "List of British Diptera" has become imperative, not only because the First Edition is exhausted, but because of the numerous additions, subtractions, and alterations. About 300 species have been added to the old "List," and about 500 names have been altered in some way or other, such as being confirmed as British, placed under a different genus, changed in synonymy, &c. Beyond that numerous other changes have been suggested which have not been at present adopted, as I have refused to make any change which might upon being tested have to go back to the previous name.

The "List" of 1888 was entirely my own composition, but as a proof of the increased attention now given to British Diptera I have to thank Messrs N. Rothschild, Theobald, Austen, Wainwright, Collin, and many others, for assistance in forming this "List."

A few words of explanation may be of use as to the value of this "List" in certain families:

Cecidomyidæ; no attempt has been made to cope with the vast increase in genera and species which have been added to the European Fauna in the last few years, because no British worker has attended to this family; the alphabetical order of species and the old genera have been retained, and only specially recorded species have been added.

Mycetophilidæ; this family, though much improved, is still in a most unfinished condition.

641423

Chironomidæ; I hope to make this the third volume of "British Flies," in which case I can say that probably over a hundred new British species will be added, and consequently I have unloaded the burden of most of Walker's *names* (not species !) to the Expurgated List.

Stratiomyidæ to *Cyrtidæ;* these families are intended to be included in the second volume of "British Flies," which is now considerably worked out.

Tachinidæ; the nomenclature and arrangement of this family have been revolutionised, but are still very far from being complete, though the improved arrangement will undoubtedly be of assistance to students.

Numerous unrecorded British species are included in this Second Edition of which records will probably soon appear; at present such species stand only on a level with those recorded in the catalogues of Curtis and Stephens.

I have great hope that the increased interest in British *Diptera* will soon enable us to have Faunal Lists almost as accurate as those which are possessed by at least the *Coleoptera* &c., even if we cannot hope to equal those of the *Lepidoptera.*

The imperfections of this "List" are as fully recognised as they were in the "List" of 1888, but the improvements are obvious. A fairly complete "List" could be issued if only some sharp-sighted young Entomologist would master the *Cecidomyidæ.*

I may well repeat the words used at the conclusion of the preface of the First Edition of my "List of British Diptera" and say again "let this list quickly give place to another."

G. H. VERRALL.

SUSSEX LODGE, NEWMARKET,
December, 1901.

BRITISH DIPTERA.

* One specimen * More than one * Full sexe

ORTHORRHAPHA.

NEMATOCERA.

PULICIDÆ.

PULEX, *L.*

irritans, *L.*
canis, *Curt.*
felis, *Bouché.*
erinacei, *Bouché.*
goniocephalus, *Taschb.*

TRICHOPSYLLA, *Kolen.*

fasciatus, *Bosc.*
sciurorum, *Bouché.*
melis, *Wlk.*
mustelæ, *Wagner.*
penicilliger, *Grube.*
lagomys, *Wagner?*
gallinæ, *Schrk.*
hirundinis, *Curt.*
columbæ, *Walck.*
styx, *Rothsch.*
Newsteadi, *Rothsch.*

TYPHLOPSYLLA, *Taschb.*

agertes, *Heller.*
var. nobilis, *Rothsch.*
dasycnemus, *Rothsch.*
bisoctodentatus, *Kolen.*
gracilis, *Taschb.*
pentacanthus, *Rothsch.*

CTENOPSYLLUS, *Kolen.*

musculi, *Dugés.*
spectabilis, *Rothsch.*

HYSTRICHOPSYLLA, *Taschb.*

talpæ, *Curt.*
obtusiceps, *Rits.*

CERATOPSYLLUS, *Curt.*

elongatus, *Curt.*
intermedius, *Rothsch.*
jubatus, *Wagner.*
octactenus, *Kolen.*
hexactenus, *Kolen.*
pentactenus, *Kolen.*

CECIDOMYIDÆ.

CECIDOMYINÆ.

LASIOPTERA, *Mg.*

obfuscata, *Mg.*
fuliginosa, *Steph.*
stygia, *Mg.*
albipennis, *Mg.*
rubi, *Schrk.*

ASPHONDYLIA, *Lw.*

pimpinellæ, *F. Lw.*
genistæ, *Lw.*
sarothamni, *Lw.*
ulicis, *Traill.*

CECIDOMYIA, *Mg.*

acrophila, *Winn.*
alpina, *F. Lw.*
betulæ, *Winn.*
brassicæ, *Winn.*
bursaria, *Bremi.*
campanulæ, *Müll.*
cardaminis, *Winn.*
cerastii, *Binnie.*
clausilia, *Meade.*
corrugans, *F. Lw.*
cratægi, *Winn.*
destructor, *Say.*
euphorbiæ, *Lw.*
filicina, *Kief.*
pteridis, *Müll.*
foliorum, *Lw.*
galeobdolontis, *Winn.*
galii, *Lw.*
Giraudi, *Frfld.*
heraclei, *Kltb.*
heterobia, *Lw.*
lathyri, *Frfld.*
marginemtorquens, *Bremi.*
medicaginis, *Bremi.*
muricatæ, *Meade.*
onobrychidis, *Bremi.*
persicariæ, *L.*
pilosellæ, *Binnie.*
plicatrix, *Lw.*
potentillæ, *F. Lw.*
pruni, *Kltb.*
pustularis, *Bremi.*
pyri, *Bouché.*
quercus, *Binnie.*
ranunculi, *Bremi.*
rhododendri, *Vallot.*
rosaria, *Lw.*
rosarum, *Hardy.*
salicina, *Schrk.*
saliciperda, *Duf.*
salicis, *Schrk.*
serotina, *Winn.*
sisymbrii, *Schrk.*
taxi, *Inch.*
terminalis, *Lw.*
thalictri, *Traill.*
tiliæ, *Schrk.*

tornatella, *Bremi.*
trifolii, *F. Lw.*
tubicola, *Kief.*
ulmariæ, *Bremi.*
urticæ, *Perris.*
veronicæ, *Vallot.*
violæ, *F. Lw.*

DIPLOSIS, *Lw.*

betulina, *Kief.*
botularia, *Winn.*
buxi, *Laboulb.*
callida, *Winn.*
centralis, *Winn.*
coniophaga, *Winn.*
dryobia, *F. Lw.*
flava, *Mg.*
fraxinella, *Meade.*
helianthemi, *Hardy.*
jacobææ, *Lw.*
linariæ, *Winn.*
loti, *Deg.*
pini, *Deg.*
pyrivora, *Riley.*
tremulæ, *Winn.*
tritici, *Kirby.*
verna, *Curt.*
volvens, *Kief.*

SCHIZOMYIA, *Kief.*

galiorum, *Kief.*

HORMOMYIA, *Lw.*

abrotani, *Traill.*
annulipes, *Hart.*
piligera, *Lw.*
capreæ, *Winn.*
corni, *Gir.*
fagi, *Hartig.*
fasciata, *Mg.*
Fischeri, *Frfld.*
juniperina, *L.*
millefolii, *Lw.*
poæ, *Bosc.*
ptarmicæ, *Vallot.*
rubra, *Kief.*

DIRRHIZA, *Lw.*

rhodophila, *Hardy.*

EPIDOSIS, *Lw.*

longipes, *Lw.*

WINNERTZIA, *Rnd.*

tenella, *Wlk.*

LESTREMINÆ.

CAMPYLOMYZA, *Mg.*

flavipes, *Mg.*
bicolor, *Mg.*
halterata, *Ztt.*
aceris, *Mg.*
brevipennis, *Wlk.*

MICROMYIA, *Rnd.*

globifera, *Hal.*

CATOCHA, *Hal.*

latipes, *Hal.*
brevinervis, *Ztt.*

LESTREMIA, *Mcq.*

leucophæa, *Mg.*
cinerea, *Mcq.*
carnea, *Mcq.*
fusca, *Mg.*

MYCETOPHILIDÆ.

SCIARINÆ.

SCIARA, *Mg.*

Thomæ, *L.*
carbonaria, *Mg.*
præcox, *Mg.*
brunnipes, *Mg.*
quinquelineata, *Mcq.*
bilineata, *Stæg.*
confinis, *Winn.*
macilenta, *Winn.*
fuscipennis, *Mg.*
fucata, *Mg.*
pulicaria, *Mg.*
flavipes, *Pz.*
hyalipennis, *Mg.*
pallipes, *F.*
nitidicollis, *Mg.*
caudata, *Wlk.*
vitripennis, *Mg.*
minima, *Mg.*
scatopsoides, *Mg.*
extrema, *Wlk.*
fenestrata, *Mg.*
longipes, *Mg.*
aprilina, *Mg.*
pusilla, *Mg.*
gracilis, *Wlk.*
pallida, *Wlk.*
compressa, *Wlk.*
tilicola, *Lw.*

TRICHOSIA, *Winn.*

splendens, *Winn.*
absurda, *Winn.*

BRADYSIA, *Winn.*

brevipennis, *Wlk.*
angustipennis, *Winn.?*

EPIDAPUS, *Hal.*

venaticus, *Hal.*

ZYGONEURA, *Mg.*

sciarina, *Mg.*

MYCETOPHILINÆ.

CORDYLA, *Mg.*

crassicornis, *Mg.*
flaviceps, *Stæg.*
semiflava, *Stæg.*
brevicornis, *Stæg.*
fasciata, *Mg.?*

DYNATOSOMA, *Winn.*

fuscicorne, *Mg.*
nigricoxa, *Ztt.*

MYCETOPHILA, *Mg.*

punctata, *Mg.*
lineola, *Mg.*
stolida, *Wlk.*
pumila, *Winn.*
uninotata, *Ztt.*
unicolor, *Stan.*
nigritula, *Wlk.*
vittipes, *Ztt.*
bimaculata, *F.*
luctuosa, *Mg.*
lutescens, *Ztt.*
obscura, *Dzied.*
signata, *Mg.*
lunata, *Mg.*
reciproca, *Wlk.*
cingulum, *Mg.*

Lysomyia
pictipennis
Lyndhurst 3/4/97
+ 17/11/08

TRICHONTA, *Winn.*

Spec. plures.

RHYMOSIA, *Winn.*

fasciata, *Mg.*
cristata, *Stæg.*
truncata, *Winn.*
maculosa, *Mg.*
fenestralis, *Mg.*
selecta, *Wlk.*
sericea, *Mcq.*

EXECHIA, *Winn.*

leptura, *Mg.*
fungorum, *Deg.*
lateralis, *Mg.*
tenuicornis, *v. d. Wulp.*
dorsalis, *Stæg.*
interrupta, *Ztt.*
indecisa, *Wlk.*
spinigera, *Winn.*
tarsata, *Stæg.*
leioides, *Wlk.*
ferruginea, *Wlk.*
flava, *Wlk.*
fuscula, *Ztt.*

ALLODIA, *Winn.*

ornaticollis, *Mg.*
crassicornis, *Stan.*
sobria, *Wlk.*
conformis, *Wlk.*
terminalis, *Wlk.*
finalis, *Wlk.*

MYCOTHERA, *Winn.*

semifusca, *Mg.*
dimidiata, *Stæg.*
ocellus, *Wlk.* ?

BRACHYCAMPTA, *Winn.*

alternans, *Winn.*
bicolor, *Mcq.*
serena, *Winn.*
amœna, *Winn.*
hastata, *Winn.*
griseicollis, *Stæg.*

DOCOSIA, *Winn.*

sciarina, *Mg.*
valida, *Winn.*
?
crassicornis, *Curt.*

ANATELLA, *Winn.*

gibba, *Winn.*
ciliata, *Winn.*

PHRONIA, *Winn.*

nitidiventris, *v. d. Wulp.*
signata, *Winn.*
austriaca, *Winn.*
flavipes, *Winn.*
basalis, *Winn.*
cinerascens, *Winn.*
forcipula, *Winn.*
crassipes, *Winn.*
Girschneri, *Dzied.*
dubia, *Dzied.*

SCEPTONIA, *Winn.*

nigra, *Mg.*

ZYGOMYIA, *Winn.*

valida, *Winn.*
notata, *Stan.*
pictipennis, *Stæg.*
vara, *Stæg.*
paludosa, *Stæg.*

AZANA, *Wlk.*

anomala, *Stæg.*

ACNEMIA, *Winn.*

nitidicollis, *Mg.*
amœna, *Winn.*
defecta, *Wlk.*

CŒLOSIA, *Winn.*

flava, *Stæg.*

ALLOCOTOCERA, *Mik.*

pulchella, *Curt.*

GLAPHYROPTERA, *Winn.*

fascipennis, *Mg.*
subfasciata, *Mg.*
fasciola, *Mg.*

Winthemii, *Lehm.*
bimaculata, *Mg.*
picta, *Mg.*
octomaculata, *Curt.*
fumosa, *Wlk.*
basalis, *Wlk.*
infera, *Wlk.*
parallela, *Wlk.*
pubescens, *Wlk.*
diversa, *Wlk.*

LEIA, *Mg.*

elegans, *Winn.*

ANACLINIA, *Winn.*

nemoralis, *Mg.*

BOLETINA, *Stæg.*

trivittata, *Mg.*
Winnertzii, *Dzied.*
dubia, *Stæg.*
sciarina, *Stæg.*
borealis, *Ztt.*
plana, *Wlk.*
analis, *Mg.*

LEPTOMORPHUS, *Curt.*

Walkeri, *Curt.*

SCIOPHILINÆ.

EMPALIA, *Winn.*

vitripennis, *Mg.*

POLYLEPTA, *Winn.*

splendida, *Winn.*

EMPHERIA, *Winn.*

pictipennis, *Hal.*
compressa, *Wlk.*
aliena, *Wlk.*

TETRAGONEURA, *Winn.*

hirta, *Winn.*
sylvatica, *Curt.*
melanoceras, *Hal.*

LASIOSOMA, *Winn.*

luteum, *Mcq.*
rufilaterum, *Wlk.*

hirtum, *Mg.*
ochraceum, *Wlk.*
maura, *Wlk.*
fenestella, *Curt.*
rufum, *Mg.*

MONOCLONA, *Mik.*

halterata, *Stæg.*
unicornuta, *Dzied.*

SCIOPHILA, *Mg.*

tenuis, *Wlk.*
hyalinata, *Mg.*
marginata, *Mg.*
fasciata, *Ztt.*
occultans, *Winn.*
hilaris, *Wlk.*
cinerascens, *Ztt.*
exigua, *Winn.*
tumida, *Winn.*
fraterna, *Winn.*
congrua, *Wlk.*
trivittata, *Ztt.*
cingulata, *Mg.*
ornata, *Mg.*
fimbriata, *Mg.*
ferruginea, *Mg.*
ruficollis, *Ztt.*
punctata, *Mg.*
trilineata, *Ztt.*
incisurata, *Ztt.*

CEROPLATINÆ.

ASINDULUM, *Ltr.*

flavum, *Winn.*

PLATYURA, *Mg.*

marginata, *Mg.*
atrata, *F.*
semirufa, *Mg.*
cincta, *Winn.*
nana, *Mcq.*
mycetophiloides, *Wlk.*
nigriceps, *Wlk.*
vitripennis, *Wlk.*
antica, *Wlk.*
fasciata, *Ltr.*
flavipes, *Mg.*
unicolor, *Wlk.*
servula, *Wlk.*
discoloria, *Mg.*
concisa, *Wlk.*

CEROPLATUS, *Bosc.*

lineatus, *F.*
tipuloides, *F.*

MACROCERINÆ.

MACROCERA, *Pz.*

fasciata, *Mg.*
crassicornis, *Winn.*
lutea, *Mg.*
pusilla, *Mg.*
vittata, *Mg.*
centralis, *Mg.*
angulata, *Mg.*
stigma, *Curt.*
phalerata, *Mg.*

BOLITOPHILINÆ.

BOLITOPHILA, *Mg.*

Saundersii, *Curt.*
fusca, *Mg.*
tenella, *Winn.*
cinerea, *Mg.*

MYCETOBINÆ.

MYCETOBIA, *Mg.*

pallipes, *Mg.*

DITOMYIA, *Winn.*

fasciata, *Mg.*

PLESIASTINA, *Winn.*

annulata, *Mg.*
vittata, *Wlk.*

DIADOCIDINÆ.

DIADOCIDIA, *Ruthé.*

ferruginosa, *Mg.*

BIBIONIDÆ.

ANARETE, *Hal.*

candidata, *Hal.*

SCATOPSE, *Geoff.*

notata, *L.*
bifilata, *Hal.*
geniculata, *Ztt.*
pulicaria, *Lw.*
scutellata, *Lw.*
flavicollis, *Mg.*
incompleta, *Verr.*
tristis, *Ztt.*
infumata, *Hal.*
integrata, *Wlk.*
simplex, *Wlk.*
albitarsis, *Ztt.*
transversalis, *Lw.*
inermis, *Ruthé.*
talpæ, *Verr.*
coxendix, *Verr.*
halterata, *Mg.*
platyscelis, *Lw.*
clavipes, *Lw.*
minutissima, *Verr.*
recurva, *Lw.*
subnitens, *Verr.*
brevicornis, *Mg.*

ASPISTES, *Mg.*

berolinensis, *Mg.*

DILOPHUS, *Mg.*

febrilis, *L.*
albipennis, *Mg.*
humeralis, *Ztt.*

BIBIO, *Geoff.*

pomonæ, *F.*
Marci, *L.*
leucopterus, *Mg.*
hortulanus, *L.*
anglicus, *Verr.*
ferruginatus, *Gmel.*
venosus, *Mg.*
reticulatus, *Lw.*
nigriventris, *Hal.*
varipes, *Mg.*
laniger, *Mg.*
Johannis, *L.*
lacteipennis, *Ztt.*
lepidus, *Lw.*
clavipes, *Mg.*

SIMULIDÆ.

SIMULIUM, *Ltr.*

ornatum, *Mg.*
reptans, *L.*
maculatum, *Mg.*
latipes, *Mg.*
nanum, *Ztt.*

Cerophlatus
testaceus Del.
h. Fresh
Fla.

ionomus Mg
salis Wlk.
ect. FCA 16/7/07.

CHIRONOMIDÆ.

CORYNONEURA, *Winn.*

minuta, *Winn.*
atomaria, *Ztt.*

THALASSOMYIA, *Schin.*

Frauenfeldi, *Schin.*

CHIRONOMUS, *Mg.*

plumosus, *L.*
ferrugineovittatus, *Ztt.*
prasinus, *Mg.*
viridicollis, *v. d. Wulp.*
annularis, *Deg.*
pallens, *Mg.*
riparius, *Mg.*
tendens, *F.*
flaveolus, *Mg.*
dorsalis, *Mg.*
aprilinus, *Mg.*
flavimanus, *Mg.*
anthracinus, *Ztt.*
tentans, *F.*
scalænus, *Schrk.*
rufipes, *L.*
flexilis, *L.*
chloris, *Mg.*
dispar, *Mg.*
pedellus, *Deg.*
pedestris, *Mg.*
fuscipennis, *Mg.*
psittacinus, *Mg.*
viridis, *Mcq.*
brev.tibialis, *Ztt.*
viridulus, *L.*
paganus, *Mg.*
nigrimanus, *Stæg.*
biannulatus, *Stæg.*
virescens, *Mg.*
pusillus, *L.*
prasinatus, *Stæg.*
pictulus, *Mg.*
histrio, *F.*
albimanus, *Mg.*
nubeculosus, *Mg.*
nubilus, *Mg.*
albipennis, *Mg.*
rufovittatus, *Stæg.*
glabricollis, *Mg.*
longipes, *Stæg.*
nervosus, *Stæg.*
sulphuricollis, *Mg.*
lividus, *Mg.*
maculipennis, *Mg.*
vagans, *Mg.*
opacus, *Mg.*
brunnipes, *Ztt.*
albidus, *Mg.*
perennis, *Mg.*
lugubris, *Ztt.*
leucopus, *Mg.*
carbonarius, *Mg.*
nemoralis, *Ztt.*
stramineipes, *Ztt.*

CRICOTOPUS, *v. d. Wulp.*

tremulus, *L.*
pulchripes, *Verr.*
tibialis, *Mg.*
motitator, *L.*
pilitarsis, *Ztt.*
ephippium, *Ztt.*
bicinctus, *Mg.*
annulipes, *Mg.*
sylvestris, *F.*
venosus, *Mg.*
rubicundus, *Mg.*
plebeius, *Mg.*

ORTHOCLADIUS, *v. d. Vulp.*

dolens, *Wlk.*
variabilis, *Stæg.*
albolineatus, *Mg.*
olivaceus, *Mg.*
testaceus, *Mcq.*
barbicornis, *F.*
sordidellus, *Ztt.*
frigidus, *Ztt.*
notatus, *Mg.*
stercorarius, *Deg.*
lucens, *Ztt.*
minutus, *Ztt.*
melaleucus, *Mg.*
pygmæus, *Mg.*
ictericus, *Mg.*

CAMPTOCLADIUS, *v. d. Wulp.*

aterrimus, *Mg.*
byssinus, *Schrk.*
minimus, *Mg.*

TANYTARSUS, *v. d. Wulp.*

punctipes, *W.*
tenuis, *Mg.*
flabellatus, *Mg.*
pusio, *Mg.*
præcox, *Mg.*
debilis, *Mg.*
vernus, *Mg.*
flavipes, *Mg.*

EURYCNEMUS, *v. d. Wulp.*

elegans, *Mg.*

METRIOCNEMUS, *v. d. Wulp.*

fuscipes, *Mg.*
modestus, *Mg.*
?
lacustris, *Hal.*

DIAMESA, *Mg.*

obscurimanus, *Mg.*
Chiron, *Hal.*
Waltlii, *Mg.*
Ammon, *Hal.*
Typhon, *Hal.*
tonsa, *Hal.*
notata, *Stæg.*

TANYPUS, *Mg.*

varius, *F.*
nebulosus, *Mg.*
choreus, *Mg.*
punctatus, *F.*
punctipennis, *Mg.*
guttipennis, *v. d. Vulp.*
carneus, *F.*
lentiginosus, *Fries.*
ornatus, *Mg.*
trifascipennis, *Ztt.*
zonatus, *F.*
lætus, *Mg.*
dubius, *Stæg.*
culiciformis, *L.*
monilis, *L.*
phatta, *Egg.*
plumipes, *Fries.*
notatus, *Mg.*
melanops, *Mg.*
ferrugineicollis, *Mg.*
griseipennis, *v. d. Wulp.*

pygmæus, *v. d. Wulp.*
melanurus, *Mg.*
pusillus, *Mg.*
nervosus, *Mg.*

CLUNIO, *Hal.*

marinus, *Hal.*

CERATOPOGON, *Mg.*

niger, *Winn.*
bipunctatus, *L.*
vexans, *Ztt.*
piceus, *Winn.*
ciliatus, *Winn.*
Kaltenbachii, *Winn.*
myrmecophilus, *Egg.*
crassipes, *Winn.*
brevipennis, *Mcq.*
alacer, *Winn.*
murinus, *Winn.*
titillans, *Winn.*
halteratus, *Winn.*
velox, *Winn.*
frutetorum, *Winn.*
lucorum, *Mg.*
rostratus, *Winn.*
brunnipes, *Mg.*
pavidus, *Winn.*
fuscus, *Mg.*
minutus, *Mg.*
amœnus, *Winn.*
varius, *Winn.*
fascipennis, *Stæg.*
pictipennis, *Stæg.*
arcuatus, *Winn.*
pulicaris, *L.*
albicans, *W.*
æstivus, *Winn.*
scutellatus. *Mg.*
pumilus, *Winn.*
neglectus, *Winn.*
gracilis, *Hal.*
ochraceus, *Winn.*
lacteipennis, *Ztt.*
nitidus, *Mcq.*
candidatus, *Winn.*
illustris, *Winn.*
leucopeza, *Mg.*
flavipes, *Mg.*
spinipes, *Mg.*
brachialis, *Hal.*
distinctus, *Hal.*
unimaculatus, *Mcq.*
fulvus, *Mcq.*
serripes, *Mg.*
rufipectus, *Winn.*
lineatus, *Mg.*
tibialis, *Mg.*
fasciatus, *Mg.*
rubiginosus, *Winn.*
femoratus, *Mg.*
bicolor, *Mg.*
venustus, *Mg.*
albipes, *Winn.*
signatus, *Mg.*
ornatus, *Mg.*
tæniatus, *Hal.*
calceatus, *Hal.*
pictus, *Mg.*
solstitialis, *Winn.*
varipes, *Curt.*

ORPHNEPHILIDÆ.

ORPHNEPHILA, *Hal.*

testacea, *Ruthé.*

PSYCHODIDÆ.

PERICOMA, *Hal.*

palustris, *Mg.*
mutua, *Eat.*
cognata, *Eat.*
compta, *Eat.*
extricata, *Eat.*
nubila, *Mg.*
trivialis, *Eat.*
neglecta, *Eat.*
canescens, *Mg.*
exquisita, *Eat.*
fallax, *Eat.*
gracilis, *Eat.*
blandula, *Eat.*
trifasciata, *Mg.*
pulchra, *Eat.*
ocellaris, *Mg.*
Dalii, *Eat.*
notabilis, *Eat.*
ambigua, *Eat.*
decipiens, *Eat.*
soleata, *Hal.*
consors, *Eat.*
labeculosa, *Eat.*
advena, *Eat.*
morula, *Eat.*
fratercula, *Eat.*
ustulata, *Hal.*
caliginosa, *Eat.*
incerta, *Eat.*
revisenda, *Eat.*
fusca, *Mcq.*
calceata, *Mg.*
auriculata, *Curt.*

ULOMYIA, *Hal.*

fuliginosa, *Mg.*
hirta Wlk. nec L.

PSYCHODA, *Ltr.*

lucifuga, *Hal.*
phalænoides, *L.*
albipennis, *Ztt.*
sexpunctata, *Curt.*
erminea, *Eat.*
humeralis, *Mg.*
bullata, *Hal.*

TRICHOMYIA, *Hal.*

urbica, *Hal.*

SYCORAX, *Hal.*

silacea, *Hal.*

CULICIDÆ.

CORETHRA, *Mg.*

culiciformis, *Mg.*
plumicornis, *F.*
pallida, *F.*

MOCHLONYX, *Lw.*

velutinus, *Ruthé.*

AËDES, *Mg.*

cinereus, *Mg.*

ANOPHELES, *Mg.*

nigripes, *Stæg.*
bifurcatus, *L.*
maculipennis, *Mg.*

CULEX, *L.*

annulatus, *Schrk.*
cantans, *Mg.*
fumipennis, *Steph.*
vexans, *Mg.*
annulipes, *Mg.*
morsitans, *Theob.*
pulchripalpis, *Rnd.*
dorsalis, *Mg.*

lateralis, *Mg.*
ornatus, *Mg.*
diversus, *Theob.*
nemorosus, *Mg.*
nigripes, *Ztt.*
var. sylvæ, Theob.
rusticus, Rossi.
nigritulus, *Ztt.*
pipiens, *L.*
ciliaris, L.
lutescens, *F.*

TÆNIORHYNCHUS, *Arrib.*

Richardii, *Fic.*

DIXIDÆ.

DIXA, *Mg.*

maculata, *Mg.*
nebulosa, *Mg.*
æstivalis, *Mg.*
aprilina, *Mg.*

PTYCHOPTERIDÆ.

PTYCHOPTERA, *Mg.*

contaminata, *L.*
paludosa, *Mg.*
lacustris, *Mg.*
albimana, *F.*
scutellaris, *Mg.*

LIMNOBIDÆ.

LIMNOBINÆ.

LIMNOBIA, *Mg.*

bifasciata, *Schrk.*
annulus, *Mg.*
quadrinotata, *Mg.*
nubeculosa, *Mg.*
flavipes, *F.*
analis, *Mg.*
nitida, Verr.
nigropunctata, *Schum.*
tripunctata, *F.*
stigma, *Mg.*
trivittata, *Schum.*
macrostigma, *Schum.*

DICRANOMYIA, *Steph.*

aquosa, *Verr.*
pilipennis, *Egg.*
modesta, *Mg.*
mitis, *Mg.*
lutea, *Mg.*
chorea, *Mg.*
sericata, *Mg.*
stigmatica, *Mg.*
didyma, *Mg.*
dumetorum, *Mg.*
ornata, *Mg.*
goritiensis, *Mik.*
morio, *F.*

RHIPIDIA, *Mg.*

maculata, *Mg.*
ctenophora, *Lw.*

GERANOMYIA, *Hal.*

unicolor, *Hal.*

RHAMPHIDINÆ.

RHAMPHIDIA, *Mg.*

longirostris, *Mg.*

ORIMARGA, *O-Sack.*

virgo, *Ztt.*

ANTOCHA, *O-Sack.*

opalizans, *O-Sack.*

THAUMASTOPTERA, *Mik.*

calceata, *Mik.*

ERIOPTERINÆ.

EMPEDA, *O-Sack.*

flava, *Schum.*
nubila, *Schum.*

GONIOMYIA, *Steph.*

tenella, *Mg.*
connexa, Lw.
jucunda, *Lw.*
schistacea, *Schum.*
lateralis, *Mcq.*
scutellata, *Egg.*
sexguttata, *Dale.*

CHILOTRICHIA, *Rnd.*

imbuta, *Mg.*

ACYPHONA, *O-Sack.*

maculata, *Mg.*

MOLOPHILUS, *Curt.*

ochraceus, *Mg.*
appendiculatus, *Stæg.*
propinquus, *Egg.*
bifilatus, *Verr.*
obscurus, *Mg.*
murinus, *Mg.*
ater, *Mg.*

RHYPHOLOPHUS, *Kolen.*

lineatus, *Mg.*
nodulosus, *Mcq.*
pentagonalis, *Lw.*
similis, *Stæg.*
varius, *Mg.*
hæmorrhoidalis, *Ztt.*

ERIOPTERA, *Mg.*

flavescens, *Mg.*
macrophthalma, *Lw.*
lutea, *Mg.*
tænionota, *Mg.*
fuscipennis, *Mg.*
trivialis, *Mg.*

SYMPLECTA, *Mg.*

punctipennis, *Mg.*
stictica, *Mg.*

TRIMICRA, *O-Sack.*

pilipes, *F.*

LIPSOTHRIX, *Lw.*

errans, *Wlk.*

LIMNOPHILINÆ.

IDIOPTERA, *Mcq.*

fasciata, L.
pulchella, *Mg.*
trimaculata, *Ztt.*

EPHELIA, *Schin.*

miliaria, *Egg.*
apicata, *Lw.*
submarmorata, *Verr.*
marmorata, *Mg.*
varinervis, *Ztt.*

DACTYLOLABIS, *O-Sack.*

Frauenfeldi, *Egg.*
gracilipes, *Lw.*

PŒCILOSTOLA, *Schin.*
punctata, *Schrk.*
pictipennis, *Mg.*

EPIPHRAGMA, *O-Sack.*
picta, *F.*

LIMNOPHILA, *Mcq.*
Meigenii, *Verr.*
dispar, *Mg.*
lineola, *Mg.*
lineolella, *Verr.*
aperta, *Verr.*
ferruginea, *Mg.*
ochracea, *Mg.*
bicolor, *Mg.*
punctum, *Mg.*
fuscipennis, *Mg.*
discicollis, *Mg.*
subtincta, *Ztt.*
lucorum, *Mg.*
sepium, *Verr.*
nemoralis, *Mg.*
filata, *Wlk.*

ADELPHOMYIA, *Bergr.*
senilis, *Hal.*

TRICHOCERA, *Mg.*
annulata, *Mg.*
hiemalis, *Deg.*
fuscata, *Mg.*
regelationis, *L.*

ANISOMERINÆ.

ANISOMERA, *Mg.*
æqualis, *Lw.*
Burmeisteri, *Lw.*

PERONECERA, *Curt.*
fuscipennis, *Curt.*
lucidipennis, *Curt.*

AMALOPINÆ.

ULA, *Hal.*
pilosa, *Schum.*

DICRANOTA, *Ztt.*
pavida, *Hal.*
bimaculata, *Schum.*

AMALOPIS, *Hal.*
immaculata, *Mg.*
unicolor, *Schum.*
claripennis, *Verr.*
occulta, *Mg.*
straminea, *Mg.*
littoralis, *Mg.*

PEDICIA, *Ltr.*
rivosa, *L.*

CYLINDROTOMINÆ.

CYLINDROTOMA, *Mcq.*
distinctissima, *Mg.*
diversa, *Wlk.*

LIOGMA, *O-Sack.*
glabrata, *Mg.*

PHALACROCERA, *Schin.*
replicata, *L.*

TIPULIDÆ.

DOLICHOPEZA, *Curt.*
sylvicola, *Curt.*

NEPHROTOMA, *Mg.*
dorsalis, *F.*

PACHYRRHINA, *Mcq.*
crocata, *L.*
imperialis, *Mg.*
scurra, *Mg.*
histrio, *F.*
maculosa, *Mg.*
cornicina, *L.*
guestfalica, *Westh.*
analis, *Schum.*
quadrifaria, *Mg.*
annulicornis, *Mg.*
lunulicornis, *Schum.*

TIPULA, *L.*
nigra, *L.*
pagana, *Mg.*
obsoleta, *Mg.*
signata, *Stæg.*
confusa, *v. d. Wulp.*
marmorata, *Mg.*
rufina, *Mg.*
longicornis, *Schum.*
truncorum, *Mg.*
Winnertzii, *Egg.*
hortensis, *Mg.*
pabulina, *Mg.*
hortulana, *Mg.*
varipennis, *Mg.*
nubeculosa, *Mg.*
scripta, *Mg.*
excisa, *Schum.*
melanoceras, *Schum.*
plumbea, *F.*
pruinosa, *W.*
luteipennis, *Mg.*
flavolineata, *Mg.*
lunata, *L.*
marginata, *Mg.*
lateralis, *Mg.*
montium, *Egg.*
Diana, *Mg.*
vernalis, *Mg.*
vaga, *Wlk.*
vittata, *Mg.*
gigantea, *Schrk.*
lutescens, *F.*
oleracea, *L.*
paludosa, *Mg.*
selene, *Mg.* ?
fascipennis, *Mg.*
peliostigma, *Schum.*
ochracea, *Mg.*

DICTENIDIA, *Brul.*
bimaculata, *L.*

XIPHURA, *Brul.*
atrata, *L.*
nigricornis, *Mg.*

CTENOPHORA, *Mg.*
ornata, *Mg.*
flaveolata, *F.*
pectinicornis, *L.*

RHYPHIDÆ.

RHYPHUS, *Ltr.*
fenestralis, *Scop.*
cinctus, *F.*
punctatus, *F.*

BRACHYCERA.

STRATIOMYIDÆ.

PACHYGASTRINÆ.

PACHYGASTER, *Mg.*
atra, *Pz.*
Leachii, *Curt.*
tarsalis, *Ztt.*
orbitalis, *Whlbg.*
meromelæna, *Aust.*

CLITELLARINÆ.

EPHIPPIUM, *Ltr.*
thoracicum, *Ltr.*

NEMOTELUS, *Geoff.*
pantherinus, *L.*
uliginosus, *L.*
notatus, *Ztt.*
nigrinus, *Fln.*

OXYCERA, *Mg.*
analis, *Mg.*
pygmæa, *Fln.*
nigripes, *Verr.*
formosa, *Mg.*
tenuicornis, *Mcq.*
longicornis, *Dale.*
Morrisii, *Curt.*
terminata, *Mg.*
pardalina, *Mg.*
dives, *Lw.*
Fallenii, *Stæg.*
pulchella, *Mg.*
trilineata, *F.*

STRATIOMYINÆ.

STRATIOMYS, *Geoff.*
chamæleon, *L.*
potamida, *Mg.*
riparia, *Mg.*
furcata, *F.*
longicornis, *Scop.*

ODONTOMYIA, *Mg.*
argentata, *F.*
microleon, *L.*
ornata, *Mg.*
hydrodromia, *Mg.*
angulata, *Pz.*
felina, *Pz.*
tigrina, *F.*
hydroleon, *L.*
viridula, *F.*

SARGINÆ.

CHRYSONOTUS, *Lw.*
bipunctatus, *Scop.*

SARGUS, *F.*
flavipes, *Mg.*
rufipes, *Whlbg.*?
cuprarius, *L.*
var. nubeculosus, *Ztt.*
iridatus, *Scop.*
infuscatus, *Mg.*

CHLOROMYIA, *Dunc.*
formosa, *Scop.*

MICROCHRYSA, *Lw.*
polita, *L.*
flavicornis, *Mg.*
cyaneiventris, *Ztt.*

BERINÆ.

BERIS, *Ltr.*
clavipes, *L.*
vallata, *Forst.*
chalybeata, *Forst.*
fuscipes, *Mg.*
geniculata, *Curt.*
Morrisii, *Dale.*

CHORISOPS, *Rnd.*
tibialis, *Mg.*

XYLOMYINÆ.

XYLOMYIA, *Rnd.*
maculata, *F.*
varia, *Mg.*
marginata, *Mg.*

TABANIDÆ.

HÆMATOPOTA, *Mg.*
pluvialis, *L.*
crassicornis, *Whlbg.*
italica, *Mg.*

THERIOPLECTES, *Zlr.*
micans, *Mg.*
montanus, *Mg.*
tropicus, *Mg.*
var. bisignatus, *Jaen.*
solstitialis, *Mg.*

ATYLOTUS, *O-Sack.*
rusticus, *F.*
fulvus, *Mg.*

TABANUS, *L.*
bovinus, *L.*
sudeticus, *Zlr.*
autumnalis, *L.*
græcus, *F.*
bromius, *L.*
maculicornis, *Ztt.*
cordiger, *W.*
glaucopis, *Mg.*

CHRYSOPS, *Mg.*
cæcutiens, *L.*
quadrata, *Mg.*
relicta, *Mg.*
sepulcralis, *F.*

LEPTIDÆ.

LEPTIS, *F.*
scolopacea, *L.*
strigosa, *Mg.*
notata, *Mg.*
tringaria, *L.*
nigriventris, *Lw.*
conspicua, *Mg.*
lineola, *F.*

CHRYSOPILUS, *Mcq.*
aureus, *Mg.*
auratus, *F.*

ATHERIX, *Mg.*
marginata, *F.*
Ibis, *F.*
crassipes, *Mg.*

PTIOLINA, *Stæg.*
Wodzickii, *Frfld.*
unicolor, *Curt.*

SYMPHOROMYIA, *Frfld.*
crassicornis, *Pz.*
melæna, *Mg.*
immaculata, *F.*

SPANIA, *Mg.*
nigra, *Mg.*

EMPIS, *L.*

tessellata, *F.*
livida, *L.*
opaca, *F.*
borealis, *L.*
stercorea, *L.*
trigramma, *Mg.*
punctata, *Mg.*
bilineata, *Lw.*
concolor, *Verr.*
lutea, *Mg.*
scutellata, *Curt.*
nigritarsis, *Mg.*
lucida, *Ztt.*
brunnipennis, *Mg.*
pennipes, *L.*
pennaria, *Fln.*
vernalis, *Mg.*
decora, *Mg.*
albipennis, *Mg.*
albinervis, *Mg.*
vitripennis, *Mg.*
volucris, *Mg.*
prodromus, *Lw.*
caudatula, *Lw.*
chioptera, *Fln.*
æstiva, *Lw.*
lepidopus, *Mg.*
brevicornis, *Lw.*
grisea, *Fln.*
var. nodosa, *Beling.*

PACHYMERIA, *Steph.*

femorata, *F.*
palparis, *Egg.*

RAGAS, *Wlk.*

unica, *Wlk.*

HILARA, *Mg.*

matrona, *Hal.*
cilipes, *Mg.*
pilosa, *Ztt.*
interstincta, *Fln.*
maura, *F.*
nitidula, *Ztt.*
niveipennis, *Ztt.*
squalens, *Ztt.*
pinetorum, *Ztt.*
manicata, *Mg.*
clypeata, *Mg.*
nigrina, *Fln.*
fuscipes, *F.*
quadrivittata, *Mg.*
cornicula, *Lw.*
canescens, *Ztt.*
litorea, *Fln.*
lurida, *Fln.*
chorica, *Fln.*
rufipes, *Mcq.*
recedens, *Hal.*
tenella, *Fln.*
obscura, *Mg.*
thoracica, *Mcq.*

OREOGETON, *Schin.*

flavipes, *Mg.*

OCYDROMINÆ.

TRICHINA, *Mg.*

clavipes, *Mg.*
flavipes, *Mg.*
elongata, *Hal.*

MICROPHORUS, *Mcq.*

anomalus, *Mg.*
velutinus, *Mcq.*

ŒDALEA, *Mg.*

flavipes, *Ztt.*
stigmatella, *Ztt.*
Holmgreni, *Ztt.*

OCYDROMIA, *Mg.*

glabricula, *Fln.*
dispar, *Curt.*

LEPTOPEZA, *Mcq.*

flavipes, *Mg.*
ruficollis, *Mg.*

EUTHYNEURA, *Mcq.*

myrtilli, *Mcq.*
myricæ, *Wlk.*

CLINOCERA, *Mg.*

KOWARZIA, *Mik.*

barbatula, *Mik.*
bipunctata, *Hal.*
plectrum, *Mik.*

CLINOCERA, *Mg.*

nigra, *Mg.*

HELEODROMIA, *Hal.*

stagnalis, *Hal.*
fontinalis, *Hal.*

CHAMÆDIPSIA, *Mik.*

lota, *Hal.*

WIEDEMANNIA, *Ztt.*

bistigma, *Curt.*
lamellata, *Lw.*
rhynchops, *Now.*

HEMERODROMIA, *Mg.*

precatoria, *Fln.*
melanocephala, *Hal.*
albicornis, *Mg.*
oratoria, *Fln.*
unilineata, *Ztt.*

ARDOPTERA, *Mcq.*

irrorata, *Fln.*
guttata, *Hal.*
exoleta, *Hal.*

GLOMA, *Mg.*

fuscipennis, *Mg.*

TRICHOPEZA, *Rnd.*

longicornis, *Mg.*

LEPIDOMYIA, *Bigot.*

melanocephala, *F.*

THAMNODROMIA, *Mik.*

albiseta, *Ztt.*
vocatoria, *Fln.*

SCIODROMIA, *Hal.*

immaculata, *Hal.*

TACHYDROMINÆ.

DRAPETIS, *Mg.*

assimilis, *Fln.*
nervosa, *Lw.*
exilis, *Mg.*
pusilla, *Lw.*
aterrima, *Hal.*

STILPON, *Lw.*

graminum, *Fln.*
lunata, *Wlk.*

TACHYPEZA, *Mg.*

nubila, *Mg.*
fuscipennis, *Fln.*
prælusio, *Wlk.*

TACHISTA, *Lw.*

arrogans, *L.*
connexa, *Mg.*
annulimana, *Mg.*
æmula, *Lw.*
morio, *Wlk.*

DYSALETRIA, *Lw.*

sp.?

ELAPHROPEZA, *Mcq.*

ephippiata, *Fln.*

CHERSODROMIA, *Wlk.*

arenaria, *Hal.*
cursitans, *Ztt.*
hirta, *Wlk.*
incana, *Wlk.*
speculifera, *Wlk.*

TACHYDROMIA, *Mg.*

lutea, *Fln.*
glabra, *Mg.*
pectoralis, *Fln.*
stramineipes, *Ztt.*
flavipennis, *Wlk.*
formalis, *Wlk.*
pulchella, *Wlk.*
munda, *Wlk.*
ciliaris, *Fln.*
nigritarsis, *Fln.*
longicornis, *Mg.*
dissimilis, *Fln.*
compta, *Wlk.*
stigmatella, *Ztt.*
pubicornis, *Ztt.*
albiseta, *Pz.*
pallipes, *Fln.*
minuta, *Mg.*
fulvipes, *Mg.*
agilis, *Mg.*
dubia, *Mg.*
castanipes, *Mg.*
exigua, *Mg.*
cothurnata, *Mcq.*
notata, *Mg.*
dichroa, *Mg.*
commiles, *Wlk.*
maculipes, *Mg.*
flavipes, *F.*
compungens, *Wlk.*
robusta, *Wlk.*
annulata, *Fln.*
fasciata, *Mg.*
varia, *Wlk.*
divisa, *Wlk.*
infuscata, *Mg.*
cursitans, *F.*
ecalceata, *Ztt.*
laticincta, *Wlk.*
candicans, *Fln.*
calceata, *Mg.*
articulata, *Mcq.*
pallidiventris, *Mg.*
bicolor, *F.*
albicornis, *Ztt.*
flavicornis, *Mg.*

DOLICHOPODIDÆ.

PSILOPUS, *Mg.*

platypterus, *F.*
Wiedemanni, *Fln.*
longulus, *Fln.*
obscurus, *Mg.*
lætus, *Mg.*
contristans, *W.*

NEURIGONA, *Rnd.*

pallida, *Fln.*
suturalis, *Fln.*
quadrifasciata, *F.*

EUTARSUS, *Lw.*

aulicus, *Mg.*

HYGROCELEUTHUS, *Lw.*

diadema, *Hal.*
latipennis, *Fln.*

DOLICHOPUS, *Ltr.*

atripes, *Mg.*
phæopus, *Hal.*
vitripennis, *Mg.*
atratus, *Mg.*
picipes, *Mg.*
lepidus, *Stæg.*
campestris, *Mg.*
Falleni, *Lw.*
melanopus, *Mg.*
planitarsis, *Fln.*
clavipes, *Hal.*
rupestris, *Hal.*
nubilus, *Mg.*
latelimbatus, *Mcq.*
claviger, *Stan.*
confusus, *Ztt.*
discifer, *Stan.*
plumipes, *Scop.*
Wahlbergi, *Ztt.*
pennatus, *Mg.*
popularis, *W.*
signatus, *Mg.*
urbanus, *Mg.*
acuticornis, *W.*
longicornis, *Stan.*
mediicornis, *Verr.*
puncticornis, *Ztt.*
linearis, *Mg.*
Scotti, *Verr.*
nitidus, *Fln.*
griseipennis, *Stan.*
signifer, *Hal.*
sabinus, *Hal.*
simplex, *Mg.*
thalassinus, *Hal.*
strigipes, *Verr.*
virgultorum, *Hal.*
arbustorum, *Stan.*
festivus, *Hal.*
trivialis, *Hal.*
brevipennis, *Mg.*
longitarsis, *Stan.*
æneus, *Deg.*

TACHYTRECHUS, *Stan.*

notatus, *Stan.*
consobrinus, *Wlk.*
insignis, *Stan.*

PŒCILOBOTHRUS, *Mik.*

nobilitatus, *L.*
ducalis, *Lw.*
principalis, *Lw.*

Dolichopus
x laticola Verr.

HERCOSTOMUS, *Lw.*
fulvicaudis, *Wlk.*
cretifer, *Wlk.*
gracilis, *Stan.*
chrysozygos, *W.*
chærophylli, *Mg.*
germanus, *W.*
nigriplantis, *Stan.*
nigripennis, *Fln.*
plagiatus, *Lw.*
atrovirens, *Lw.*
nanus, *Mcq.*
parvilamellatus, *Mcq.*

HYPOPHYLLUS, *Lw.*
discipes, *Ahr.*
obscurellus, *Fln.*

ORTHOCHILE, *Ltr.*
nigrocœrulea, *Ltr.*

GYMNOPTERNUS, *Lw.*
cupreus, *Fln.*
celer, *Mg.*
metallicus, *Stan.*
chalybæus, *W.*
ærosus, *Fln.*
assimilis, *Stæg.*
prætextatus, *Hal.*

CHRYSOTUS, *Mg.*
neglectus, *W.*
cilipes, *Mg.*
pulchellus, *Kow.*
blepharosceles, *Kow.*
cupreus, *Mcq.*
angulicornis, *Kow.*
palustris, *Verr.*
læsus, *W.*
amplicornis, *Ztt.*
gramineus, *Fln.*
microcerus, *Kow.*

MELANOSTOLUS, *Kow.*
melancholicus, *Lw.*

DIAPHORUS, *Mg.*
nigricans, *Mg.*
oculatus, *Fln.*
Hoffmanseggii, *Mg.*
Winthemi, *Mg.*

ARGYRA, *Mcq.*
atriceps, *Lw.*
diaphana, *F.*
confinis, *Ztt.*
argentina, *Mg.*
argyria, *Mg.*
leucocephala, *Mg.*
elongata, *Ztt.*

LEUCOSTOLA, *Lw.*
vestita, *W.*

THRYPTICUS, *Gerst.*
bellus, *Lw.*

RHAPHIUM, *Mg.*
longicorne, *Fln.*

PORPHYROPS, *Mg.*
antennata, *Carl.*
spinicoxa, *Lw.*
fascipes, *Mg.*
nemorum, *Mg.*
penicillata, *Lw.*
nasuta, *Fln.*
pectinata, *Lw.*
consobrina, *Ztt.*
micans, *Mg.*
elegantula, *Mg.*
crassipes, *Mg.*
gravipes, *Wlk.*
prærosa, *Lw.*

SYNTORMON, *Lw.*
Zelleri, *Lw.*
biseriatus, *Lw.*
pumilus, *Mg.*
tarsatus, *Fln.*
sulcipes, *Mg.*
monilis, *Wlk.*
pallipes, *F.*

MACHÆRIUM, *Hal.*
maritimæ, *Hal.*

XIPHANDRIUM, *Lw.*
fissum, *Lw.*
caliginosum, *Mg.*
monotrichum, *Lw.*
appendiculatum, *Ztt.*
brevicorne, *Curt.*
auctum, *Lw.*
fasciatum, *Mg.*

ACHALCUS, *Lw.*
cinereus, *Wlk.*
flavicollis, *Mg.*

MEDETERUS, *Fisch.*
micaceus, *Lw.*
muralis, *Mg.*
tristis, *Ztt.*
apicalis, *Ztt.*
pallipes, *Ztt.*
diadema, *L.*
flavipes, *Mg.*
jaculus, *Mg.*
truncorum, *Mg.*
dendrobænus, *Kow.*
petrophilus, *Kow.*

SCELLUS, *Lw.*
notatus, *F.*

HYDROPHORUS, *Whlbg.*
nebulosus, *Fln.*
bipunctatus, *Lehm.*
borealis, *Lw.*
balticus, *Mg.*
litoreus, *Fln.*
præcox, *Lehm.*
viridis, *Mg.*
bisetus, *Lw.*

LIANCALUS, *Lw.*
virens, *Scop.*

ALLŒONEURUS, *Mik.*
lacustris, *Scop.*

CAMPSICNEMUS, *Wlk.*
magius, *Lw.*
scambus, *Fln.*
curvipes, *Fln.*
loripes, *Hal.*
armatus, *Ztt.*
pusillus, *Mg.*
pectinulatus, *Lw.*
picticornis, *Ztt.*

ECTOMUS, *Mik.*
alpinus, *Hal.*

TEUCHOPHORUS, *Lw.*
spinigerellus, *Ztt.*
pectinifer, *Kow.*
monacanthus, *Lw.*
simplex, *Mik.*

SYMPYCNUS, *Lw.*
cirrhipes, *Wlk.*
annulipes, *Mg.*
æneicoxa, *Mg.*
nigritibialis, *Ztt.*

LAMPROCHROMUS, *Mik.*
elegans, *Mg.*
bifasciellus, *Ztt.*

CHRYSOTIMUS, *Lw.*
molliculus, *Fln.*
concinnus, *Ztt.*

XANTHOCHLORUS, *Lw.*
ornatus, *Hal.*
tenellus, *W.*

BATHYCRANIUM, *Strobl.*
bicolorellus, *Ztt.*

ANEPSIUS, *Lw.*
flaviventris, *Mg.*

MICROMORPHUS, *Mik.*
albipes, *Ztt.*

THINOPHILUS, *Whlbg.*
flavipalpis, *Ztt.*
ruficornis, *Hal.*

SCHŒNOPHILUS, *Mik.*
versutus, *Wlk.*

APHROSYLUS, *Wlk.*
celtiber, *Hal.*
raptor, *Hal.*
ferox, *Hal.*

LONCHOPTERIDÆ.

LONCHOPTERA, *Mg.*
lutea, *Pz.*
punctum, *Mg.*
flavicauda, *Mg.*
lacustris, *Mg.*
tristis, *Mg.*
fuscipennis, *Boh.*

CYCLORRHAPHA.

PROBOSCIDEA.

PLATYPEZIDÆ.

OPETIA, *Mg.*
nigra, *Mg.*
lonchopteroides, *Curt.*

PLATYCNEMA, *Ztt.*
pulicaria, *Fln.*

CALLIMYIA, *Mg.*
speciosa, *Mg.*
amœna, *Mg.*
var. leptiformis, *Fln.*
elegans, *Mg.*

AGATHOMYIA, *Verr.*
antennata, *Ztt.*
Collini, *Verr.*

PLATYPEZA, *Mg.*
consobrina, *Ztt.*
modesta, *Ztt.*
rufa, *Mg.*
atra, *Mg.*
furcata, *Fln.*
dorsalis, *Mg.*
holosericea, *Mg.*
fasciata, *Mg.*
aterrima, *Wlk.*
hirticeps, *Verr.*
infumata, *Hal.*
picta, *Mg.*
fumipennis, *Wlk.*

PIPUNCULIDÆ.

CHALARUS, *Wlk.*
spurius, *Fln.*
holosericeus, *Mg.*

VERRALLIA, *Mik.*
pilosa, *Ztt.*
var. setosa, *Verr.*
villosa, *v. Ros.*
aucta, *Fln.*

NEPHROCERUS, *Ztt.*
flavicornis, *Ztt.*

PIPUNCULUS, *Ltr.*
furcatus, *Egg.*
zonatus, *Ztt.*
fascipes, *Ztt.*
modestus, *Hal.*
fuscipes, *Ztt.*
ruralis, *Mg.*
unicolor, *Ztt.*
terminalis, *Thoms.*
obtusinervis, *Ztt.*
halteratus, *Mg.*
varipes, *Mg.*
campestris, *Ltr.*
ater, *Mg.*
pratorum, *Fln.*
carinatus, *Verr.*
vittipes, *Ztt.*
flavipes, *Mg.*
Strobli, *Verr.*
strigulipes, *Verr.*
seminitidus, *Beck.*
incognitus, *Verr.*
geniculatus, *Auct.*
confusus, *Verr.*
rufipes, *Mg.*
hæmorrhoidalis, *Ztt.*
xanthopus, *Thoms.*
maculatus, *Wlk.*
lateralis, *Mcq.*
semimaculatus, *Beck.*
geniculatus, *Mg.*
nigritulus, *Ztt.*
littoralis, *Beck.*
sylvaticus, *Mg.*

SYRPHIDÆ.

SYRPHINÆ.

PARAGUS, *Ltr.*
tibialis, *Fln.*
bicolor *F.*
var. lacerus, *Lw.*

PIPIZELLA, *Rnd.*
virens, *F.*
maculipennis, *Mg.*
flavitarsis, *Mg.*
biguttata, *Curt.*
Heringi, *Ztt.*

PIPIZA, *Fln.*
luteitarsis, *Ztt.*
quadrimaculata, *Pz.*
noctiluca, *L.*
fenestrata, *Mg.*
bimaculata, *Mg.*
guttata, *Mg.*
signata, *Mg.*
notata, *Mg.*
lugubris, *F.*

CNEMODON, *Egg.*
vitripennis, *Mg.*
acuminatus, *Lw.*

PSILOTA, *Mg.*
anthracina, *Mg.*

ORTHONEURA, *Mcq.*
elegans, *Mg.*
brevicornis, *Lw.*
nobilis, *Fln.*

LIOGASTER, *Rnd.*
splendida, *Mg.*
metallina, *F.*

CHRYSOGASTER, *Mg.*
splendens, *Mg.*
hirtella, *Lw.*
Macquarti, *Lw.*
virescens, *Lw.*
chalybeata, *Mg.*
solstitialis, *Fln.*
cœmeteriorum, *Auct.*
fumipennis, *Wlk.* (*nec Lw.*)

CHILOSIA, *Mg.*
maculata, *Fln.*
sparsa, *Lw.*
antiqua, *Mg.*
longula, *Ztt.*
scutellata, *Fln.*
soror, *Ztt.*
pulchripes, *Lw.*
variabilis, *Pz.*
honesta, *Rnd.*
vulpina, *Mg.*
barbata, *Lw.*
intonsa, *Lw.*
illustrata, *Harr.*
œstracea, *Auct.*
grossa, *Fln.*
chrysocoma, *Mg.*
albipila, *Mg.*
flavicornis, *Auct.*
nebulosa, *Verr.*
impressa, *Lw.*
albitarsis, *Mg.* ♂ wanted
flavimana, *Mg.*
fraterna, *Mg.*
chloris, *Wlk.*
Bergenstammi, *Beck.*
præcox, *Ztt.*
mutabilis, *Fln.*
vernalis, *Fln.*
proxima, *Ztt.*
cynocephala, *Lw.*
rostrata, *Ztt.*

PLATYCHIRUS, *St. Farg.*
manicatus, *Mg.*
tarsalis, *Schum.*
discimanus, *Lw.*
melanopsis, *Lw.*
peltatus, *Mg.*
scutatus, *Mg.*
albimanus, *F.*
podagratus, *Ztt.*
scambus, *Stæg.*
immarginatus, *Ztt.*
fulviventris, *Mcq.*
perpallidus, *Verr.*
clypeatus, *Mg.*
angustatus, *Ztt.*
sticticus, *Mg.*
spathulatus, *Rnd.*

PYROPHÆNA, *Schin.*
granditarsa, *Forst.*
ocymi, *F.*
rosarum, *F.*

MELANOSTOMA, *Schin.*
ambiguum, *Fln.*
dubium, *Ztt.*
mellinum, *L.*
scalare, *F.*

MELANGYNA, *Verr.*
quadrimaculata, *Verr.*

XANTHANDRUS, *Verr.*
comtus, *Harr.*
hyalinatus, *Fln.*

LEUCOZONA, *Schin.*
lucorum, *L.*

ISCHYROSYRPHUS, *Big.*
glaucius, *L.*
laternarius, *Müll.*

DIDEA, *Mcq.*
alneti, *Fln.*
fasciata, *Mcq.*
intermedia, *Lw.*

CATABOMBA, *O.-S.*
pyrastri, *L.*
selenitica, *Mg.*

SYRPHUS, *F.*
albostriatus, *Fln.*
tricinctus, *Fln.*
venustus, *Mg.*
lunulatus, *Mg.*
nigricornis, *Verr.*
quadrilunulatus, *Lw.*
annulipes, *Ztt.*
torvus, *O.-S.*
topiarius, *Mg.*
annulatus, *Ztt.*
lineola, *Ztt.*
vittiger, *Ztt.*
grossulariæ, *Mg.*
diaphanus, *Ztt.*
ribesii, *L.*
vitripennis, *Mg.*
latifasciatus, *Mcq.*
nitidicollis, *Mg.*
nitens, *Ztt.*
arcuatus, *Fln.*
lapponicus, *Ztt.*
corollæ, *F.*
luniger, *Mg.*
bifasciatus, *F.*

balteatus, *Deg.*
cinctellus, *Ztt.*
cinctus, *Fln.*
auricollis, *Mg.*
decorus, Mg.
var. maculicornis, Ztt.
var. nigritibius, Rnd.
euchromus, *Kow.*
triangulifer, *Ztt.*
punctulatus, *Verr.*
guttatus, *Fln.*
flavifrons, Verr.
umbellatarum, *F.*
compositarum, *Verr.*
labiatarum, *Verr.*
lasiophthalmus, *Ztt.*
arcticus, *Ztt.*
barbifrons, *Fln.*

SPHÆROPHORIA, *St. Farg.*

scripta, *L.*
var. dispar, Lw.
var. nigricoxa, Ztt.
var. strigata, Stæg.
menthastri, *L.*
var. picta, Mg.
var. tæniata, Mg.
var. dubia, Ztt.
flavicauda, *Ztt.*
var. nitidicollis, Ztt.

XANTHOGRAMMA, *Schin.*

ornatum, *Mg.*
citrofasciatum, *Deg.*

DOROS, *Mg.*

conopseus, *F.*

BACCHA, *F.*

obscuripennis, *Mg.*
elongata, *F.*

PELECOCERA, *Mg.*

tricincta, *Mg.*

CHAMÆSYRPHUS, *Mik.*

scævoides, *Fln.*

SPHEGINA, *Mg.*

clunipes, *Fln.*

ASCIA, *Mg.*

podagrica, *F.*
dispar, *Mg.*
floralis, *Mg.*
geniculata, *Mg.*

BRACHYOPA, *Mg.*

bicolor, *Fln.*

RHINGIA, *Scop.*

rostrata, *L.*
campestris, *Mg.*

VOLUCELLINÆ.

VOLUCELLA, *Geoff.*

bombylans, *L.*
inanis, *L.*
inflata, *F.*
pellucens, *L.*

ERISTALINÆ.

ERISTALIS, *Ltr.*

sepulchralis, *L.*
æneus, *Scop.*
cryptarum, *F.*
tenax, *L.*
intricarius, *L.*
var. furvus, Verr.
arbustorum, *L.*
nemorum, *L.*
pertinax, *Scop.*
rupium, *F.*
horticola, *Deg.*

MYIATROPA, *Rnd.*

florea, *L.*

HELOPHILUS, *Mg.*

trivittatus, *F.*
hybridus, *Lw.*
pendulus, *L.*
frutetorum, *F.*
versicolor, *F.*
lunulatus, *Mg.*
transfugus, *L.*
lineatus, *F.*
vittatus, *Mg.*

MALLOTA, *Mg.*

~~cuniculiformis, Fln.~~
eristaloides, Lw.

MERODON, *Mg.*

equestris, *F.*
var. narcissi, F.
var. transversalis, Mg.
var. validus, Mg.

MILESINÆ.

TROPIDIA, *Mg.*

scita, *Harr.*
milesiformis, Fln.

MYIOLEPTA, *Newm.*

luteola, *Gmel.*

CRIORRHINA, *Mcq.*

ranunculi, *Pz.*
ruficauda, Mg.
berberina, *F.*
oxyacanthæ, *Mg.*
floccosa, *Mg.*
asilica, *Fln.*

POCOTA, *St. Farg.*

apiformis, *Schrk.*

CYNORRHINA, *Willist.*

fallax, *L.*

BRACHYPALPUS, *Mcq.*

bimaculatus, *Mcq.*

XYLOTA, *Mg.*

segnis, *L.*
tarda, *Mg.*
confinis, Ztt.
lenta, *Mg.*
sylvarum, *L.*
nemorum, *F.*
florum, *F.*
abiens, *W.*

SYRITTA, *St. Farg.*

pipiens, *L.*

EUMERUS, *Mg.*

sabulonum, *Fln.*
ornatus, *Mg.*
strigatus, *Fln.*
lunulatus, Mg.

CHRYSOCHLAMYS, *Rnd.*

cuprea, *Scop.*
ruficornis, F.

Dr. Allbota
Test

CALLIPROBOLA, *Rnd.*
speciosa, *Rossi.*

ARCTOPHILA, *Schin.*
mussitans, *F.*

SERICOMYIA, *Mg.*
borealis, *Fln.*
lappona, *L.*

CHRYSOTOXINÆ.

CHRYSOTOXUM, *Mg.*
cautum, *Harr.*
sylvarum, Mg.
arcuatum, *L.*
octomaculatum, *Curt.*
elegans, *Lw.*
festivum, *L.*
vernale, *Lw.*
bicinctum, *L.*

CALLICERA, *F.*
ænea, *F.*

MICRODONTINÆ.

MICRODON, *Mg.*
mutabilis, *L.*
devius, *L.*
latifrons, *Lw.*

CONOPIDÆ.

CONOPINÆ.

CONOPS, *L.*
vesicularis, *L.*
quadrifasciata, *Deg.*
ceriiformis, *Mg.*
strigata, *Mg.*
flavipes, *L.*

PHYSOCEPHALA, *Schin.*
nigra, *Deg.*
rufipes, *F.*

MYOPINÆ.

ZODION, *Ltr.*
cinereum, *F.*

ONCOMYIA, *Dsv.*
ātra, *F.*
pusilla, *Mg.*

SICUS, *Scop.*
ferrugineus, *L.*

MYOPA, *F.*
buccata, *L.*
testacea, *L.*
polystigma, *Rnd.*
fasciata, *Mg.*
dorsalis, *F.*

ŒSTRIDÆ.

GASTROPHILUS, *Leach.*
equi, *F.*
hæmorrhoidalis, *L.*
nasalis, *L.*

CEPHENOMYIA, *Ltr.*
rufibarbis, *Mg.*
auribarbis, Mg.

HYPODERMA, *Ltr.*
lineatum, *Vill.*
bovis, *Deg.*
Diana, *Brau.*

ŒSTRUS, *L.*
ovis, *L.*
biangulatus, Cooke.

PHARYNGOMYIA, *Schin.*
picta, *Mg.*

TACHINIDÆ.

TACHININÆ.

MEIGENIA, *Dsv.*
egens, *Egg.*
bisignata, *Mg.*
dorsalis, Mg.
vernalis, Dsv.
floralis, *Mg.*
majuscula, *Rnd.*

VIVIANIA, *Rnd.*
cinerea, Fln.
pacta, Mg. (*pt.*).

MERIANIA, *Dsv.*
puparum, *F.*

MASICERA, *Mcq.*
sylvatica, *Fln.*
pratensis, *Mg.*

CEROMASIA, *Rnd.*
machairopsis, *Br. & Berg.*
angelicæ, Mg.
agilis, Mg.
florum, *Mcq.*
rutila, Mg.
festinans, Mg.
hortensis, Mg.
juvenilis, Rnd.
senilis, *Mg.*
myiodea, Dsv.
brevipennis, Mg.
parva, Mcq.
stabulans, *Mg.*
spectabilis, Mg.

GYMNOCHÆTA, *Dsv.*
viridis, *Fln.*

EXORISTA, *Mg.*
vetula, *Mg.*
cheloniæ, *Rnd.*
agnata, Rnd.
affinis, *Mg.* (*Fln.* ?).
fimbriata, *Mg.*
biserialis, *Mcq.*
flavicans, *Rnd.*
notabilis, *Mg.*
intersita, Wlk.
intermixta, Wlk.
floralis, Meade.
mutabilis, Fln.
perturbans, Ztt.
ruficauda, Ztt.
noctuicida, Rnd.
jucunda, Mg.
lucorum, Mg.

EPICAMPOCERA, *Mcq.*
succincta, *Mg.*
ambulans, *Mg.*

BLEPHARIDEA, *Rnd.*
vulgaris, *Fln.*

MYXEXORISTA, *Br. & Berg.*
fauna, *Mg.*

macrops, *Br. & Berg.*
libatrix, *Mg.*

FRONTINA, *Mg.*

nigricans, *Egg.*
læta, *W.*
fugax, *Rnd.*

CAMPYLOCHÆTA, *Rnd.*

obscura, *Fln.*

PHOROCERA, *Dsv.*

serriventris, *Rnd.*
concinnata, *Mg.*
cilipeda, *Rnd.*
internexa, *Wlk.*
pumicata, *Mg.*
gracilis, *Egg.*

BOTHRIA, *Rnd.*

assimilis, *Fln.*
cæsifrons, *Mcq.*
segregata, *Rnd.*
frontosa, *Mg.*
pascuorum, *Rnd.*

BLEPHARIPODA, *Rnd.*

scutellata, *Dsv.*
major, *Mcq.*
atropivora, *Rnd.*
morosa, *Mg.*

SISYROPA, *Br. & Berg.*

angusta, *Br. & Berg.*
hortulana, *Egg.*
? *acronyctarum*, *Mcq.*
lucorum, *Rnd.*
gnava, *Mg.*
lota, *Mg.*
excisa, *Fln.*

CHÆTOLYGA, *Rnd.*

analis, *Mcq.*
amœna, *Mg.*
glabrata, *Mg.*
exacta, *Wlk.*
apicalis, *Mg.*
quadripustulata, *F.*
dispecta, *Wlk.*
nigrithorax, *Egg.*

TACHINA, *Mg.*

larvarum, *L.*
grandis, *Egg.*
erucarum, *Rnd.*
rustica, *Mg.*
noctuarum, *Rnd.*
latifrons, *Rnd.*
nigricans, *Egg.*
præpotens, *Mg.*?

STOMATOMYIA, *Br. & Berg.*

filipalpis, *Rnd.*

PERICHÆTA, *Br. & Berg.*

unicolor, *Fln.*

GERMARIA, *Dsv.*

ruficeps, *Fln.*

GONIA, *Mg.*

fasciata, *Mg.*
divisa, *Mg.*
capitata, *Deg.*
ornata, *Mg.*
trifaria, *Zlr.*
lateralis, *Zlr.*
Fœrsteri, *Mg.*

THELYMORPHA, *Br. & Berg.*

vertiginosa, *Fln.*
marmorata, *F.*

BRACHYCHÆTA, *Br. & Berg.*

DESVOIDIA, *Meade.*

spinigera, *Rnd.*
fusca, *Meade.*

MONOCHÆTA, *Br. & Berg.*

leucophæa, *Mg.*
albicans, *Fln.*

APOROMYIA, *Rnd.*

dubia, *Fln.*

SOMOLIA, *Rnd.*

rebaptizata, *Rnd.*
crassitarsis (*Polidea*), *Ztt.*
ænea, *Mg.*

MICRONYCHIA, *Br. & Berg.*

ruficauda, *Ztt.*

MINTHO, *Dsv.*

præceps, *Scop.*
compressa, *F.*

MELANOTA, *Rnd.*

volvulus, *F.*

PELATACHINA, *Meade.*

tibialis, *Fln.*

MACQUARTIA, *Dsv.*

dispar, *Fln.*
tenebricosa, *Mg.*
nitida, *Ztt.*
affinis, *Schin.*
grisea, *Fln.*
spinicincta, *Meade.*
ciliaris, *Ztt.*
flavipes, *Mg.*
cœlebs, *Mcq.*

MACROPROSOPA, *Br. & Berg.*

atrata, *Mg.*

LOEWIA, *Egg.*

setibarba, *Egg.*
brevifrons, *Rnd.*

PTILOPS, *Rnd.*

chalybeata, *Mg.*

ANTHRACOMYIA, *Rnd.*

melanoptera, *Mg.*
nana, *Mg.*
anthracina, *Mg.*

DEGEERIA, *Mg.*

ornata, *Mg.*
collaris, *Fln.*
medorina, *Schin.*
pulchella, *Mg.*
luctuosa, *Mg.*
pygmæa, *Mcq.*
grandicornis, *Ztt.*

THELAIRA, *Dsv.*

leucozona, *Pz.*
nigripes, *F.*

DEMOTICUS, *Mcq.*
plebeius, *Fln.*
longirostris, *Mg.*
frontatus, *Boh.*
spretus, *Mg.*

MYIOBIA, *Dsv.*
aurea, *Fln.*
fenestrata, *Mg.*
longipes, *Mg.*
inanis, *Fln.*
pacifica, *Mg.*

RHYNCHISTA, *Rnd.*
prolixa, *Mg.*

ZOPHOMYIA, *Mcq.*
temula, *Scop.*

OLIVIERIA, *Dsv.*
lateralis, *F.*
rufomaculata, *Deg.*

OCYPTERA, *Ltr.*
brassicaria, *F.*
cylindrica, *F.*

OCYPTERULA, *Rnd.*
pusilla, *Mg.*

LOPHOSIA, *Mg.*
fasciata, *Mg.*

MICROPALPUS, *Mcq.*
vulpinus, *Fln.*
comptus, *Fln.*
fulgens, *Mg.*
pictus, *Mg.*
hæmorrhoidalis, *Fln.*
pudicus, *Rnd.*
quadraticornis (*Nemoræa*), *Meade.*

ERIGONE, *Dsv.*
radicum, *F.*
strenua, *Mg.*
conjuncta, *Wlk.*
vagans, *Mg.*
cæsia, *Fln.*
rudis, *Fln.*
nemorum, *Mg.*
consobrina, *Mg.*
appendiculata, *Mcq.*
intermedia, *Ztt.*
setosa, *Mcq.*?
vivida, *Ztt.*

ECHINOMYIA, *Dum.*
grossa, *L.*
fera, *L.*

FABRICIA, *Dsv.*
ferox, *L.*

PELETERIA, *Dsv.*
tessellata, *F.*

SERVILLIA, *Dsv.*
lurida, *F.*
leucocoma, *Mg.*
ursina, *Mg.*

PLAGIA, *Mg.*
ruralis, *Fln.*
curvinervis, *Ztt.*
trepida, *Mg.*

THRYPTOCERINÆ.

ANACHÆTOPSIS, *Br. & Berg.*
ocypterina, *Ztt.*

PHORICHÆTA, *Rnd.*
lugens, *Mg.*
carbonaria, *Pz.*
tricincta, *Rnd.*

PTYCHONEURA, *Br. & Berg.*
rufitarsis, *Mg.*
?*rubritarsis*, (*Ztt.*) *Meade.*

DISCOCHÆTA, *Br. & Berg.*
muscaria, *Fln.*
cognata, *Schin.*

UROPHYLLA, *Br. & Berg.*
blanda, *Fln.*
? *seria*, *Mg.*
?*Dalii* (*Degeeria*), *Meade.*

RŒSELIA, *Dsv.*
antiqua, *Fln.*
pallipes, *Fln.*
atra, *Dsv.*

STAUFERIA, *Br. & Berg.*
procera, *Mg.*

DIGONOCHÆTA, *Rnd.*
spinipennis, *Mg.*
setipennis, *Fln.*

THRYPTOCERA, *Mcq.*
pilipennis, *Mg.*
crassicornis, *Mg.*
bicolor, *Mg.*
minutissima, *Ztt.*
latifrons, *Mg.*

BLEPHAROMYIA, *Br. & Berg.*
amplicornis, *Ztt.*
incerta, *Meade* (*Phorocera*).

HYPOSTENA, *Mg.*
procera, *Mg.*

SIPHONA, *Mg.*
cristata, *F.*
geniculata, *Deg.*

GYMNOSOMINÆ.

GYMNOSOMA, *Mg.*
rotundatum, *L.*

CERCOMYIA, *Br. & Berg.*
curvicauda, *Fln.*
thoracica, *Mg.* ?

PSALIDA, *Rnd.*
simplex, *Fln.*

PHASINÆ.

PHASIA, *Ltr.*
rothi, *Ztt.*

ALOPHORA, *Dsv.*
hemiptera, *F.*
obesa, *F.*
pusilla, *Mg.*

CLYTIA, *Dsv.*
continua, *Pz.*
rotundiventris, *Fln.*

TRIXINÆ.

TRIXA, *Mg.*
alpina, *Mg.*
ferruginea, *Mg.*
œstroidea, *Dsv.*
scutellata, *Newm.*
grisea, *Mg.*

FORTISIA, *Rnd.*
fœda, *Mg.*

REDTENBACHERIA, *Schin.*
insignis, *Egg.*

PHYTO, *Dsv.*
melanocephala, *Mg.*
parvicornis, *Mg.*
nigra, *Dsv.*

STEVENIA, *Dsv.*
maculata, *Fln.*

MELANOPHORA, *Mg.*
roralis, *L.*
atra, *Mcq.*

RHINOPHORA, *Dsv.*
atramentaria, *Mg.*
melania, *Mg.*
simplicissima, *Lw.*

FRAUENFELDIA, *Egg.*
rubricosa, *Mg.*
trilineata, *Mg.*

BRACHYCOMA, *Rnd.*
devia, *Fln.*
smerinthi, *Meade.*
erratica, *Mg.*

CLISTA, *Mg.*
lepida, *Mg.*
mœrens, *Mg.*
œnescens, *Ztt.*

SARCOPHAGINÆ.

TEPHROMYIA, *Br. & Berg.*
grisea, *Mg.*

CYNOMYIA, *Dsv.*
alpina, *Ztt.*
mortuorum, *L.*

ONESIA, *Dsv.*
sepulchralis, *L.*
cognata, *Mg.*

SARCOPHAGA, *Mg.*
carnaria, *L.*
similis, *Meade.*
albiceps, *Mg.*
atropos, *Mg.*
melanura, *Mg.*
agricola, *Mg.*
laticornis, *Mg.*
nigriventris, *Mg.*
juvenis, *Rnd.*
clathrata, *Mg.*
adolescens, *Rnd.*
affinis, *Fln.*
dissimilis, *Mg.*
infantula, *Rnd.*
fulvicauda, *Meade.*
haemorrhoidalis, *Mg.*
nurus, *Rnd.*
cruentata, *Mg.*
haematodes, *Mg.*
vulnerata, *Schin.* } *t. Austen.*
hæmorrhoa, *Meade.* } *t. Austen.*
hæmorrhoa, *Mg.*
offuscata, *Schin.* } *t. Austen.*
setipennis, *Rnd.* } *t. Austen.*
erythrura, *Fln.*

SARCOPHILA, *Rnd.*
latifrons, *Fln.*

THERIA, *Dsv.*
muscaria, *Mg.*

HETERONYCHIA, *Br. & Berg.*
chætoneura, *Br. & Berg.*

NYCTIA, *Dsv.*
halterata, *Pz.*

ENGYOPS, *Rnd.*
micronyx, *Br. & Berg.*

MILTOGRAMMA, *Mg.*
punctatum, *Mg.*

METOPODIA, *Br. & Berg.*
sp.? cylindrica, *Fln.* ?

METOPIA, *Mg.*
campestris, *Fln.*
argyrocephala, *Mg.*
leucocephala, *Rossi.*
amabilis, *Mg.*
argentata, *Mcq.*
forficulæ, *Newp.*

SPHIXAPATA, *Rnd.*
conica, *Fln.*
? *piligena* (*Arrenopus*), *Rnd.*

NEMORÆA, *Dsv.*
nupta, *Rnd.*
rubrica, *Mg.* ?

DEXINÆ.

MACRONYCHIA, *Rnd.*
agrestis, *Fln.*
polyodon, *Mg.*

DEXIOSOMA, *Rnd.*
caninum, *F.*

MYIOSTOMA, *Dsv.*
cristatum, *Rnd.*

DEXIA, *Mg.*
rustica, *F.*
vacua, *Fln.*

PROSENA, *St. Farg.*
sybarita, *F.*
angustifrons (*Aphria*), *Meade.*

DINERA, *Mcq.*
grisescens, *Fln.*

MYIOCERA, *Dsv.*
carinifrons, *Fln.*

MUSCIDÆ.

IDIA, *Mg.*
lunata, *F.*

STOMOXYS, *Geoff.*
calcitrans, *L.*

HÆMATOBIA, *Dsv.*
stimulans, *Mg.*
irritans, *L.*
serrata, *Dsv.*

POLLENIA, *Dsv.*
vespillo, *F.*
rudis, *F.*
varia, *Mg.*

MYIOSPILA, *Rnd.*
meditabunda, *F.*

GRAPHOMYIA, *Dsv.*
maculata, *Scop.*
picta, *Ztt.*

MUSCA, *L.*
domestica, *L.*
corvina, *F.*

CYRTONEURA, *Mcq.*
stabulans, *Fln.*
pabulorum, *Fln.*
pascuorum, *Mg.*
cæsia, *Mg.*

MORELLIA, *Dsv.*
simplex, *Lw.*
hortorum, *Fln.*
curvipes, *Mcq.*

MESEMBRINA, *Mg.*
meridiana, *L.*

PYRELLIA, *Dsv.*
cadaverina, *L.*
cyanicolor, *Ztt.*
lasiophthalma, *Mcq.*
eriophthalma, *Mcq.*
serena, *Mg.*

PROTOCALLIPHORA, *Hough.*
AVIHOSPITA, *Hendel.*
azurea, *Fln.*
grœnlandica, *Ztt.*

CALLIPHORA, *Dsv.*
erythrocephala, *Mg.*
vomitoria, *L.*

EUPHORIA, *Desv.*
PSEUDOPYRELLIA, *Girsch.*
cornicina, *F.*

LUCILIA, *Dsv.*
cæsar, *L.*
sylvarum, *Mg.*
sericata, *Mg.*
ruficeps, *Mg.*
illustris, *Mg.*
micans, *Mg.*
nobilis, *Mg.*
splendida, *Mg.*
equestris, *Mg.*
regina, *Mg.*

ANTHOMYIDÆ.

MYDÆINÆ.

POLIETES, *Rnd.*
lardaria, *F.*
hirticrura, *Meade.*
albolineata, *Fln.*

HYETODESIA, *Rnd.*
incana, *W.*
lucorum, *Fln.*
marmorata, *Ztt.*
serva, *Mg.*
dispar, *Fln.*
Goberti, *Mik.*
consobrina, *Ztt.*
obscurata, *Mg.*
variabilis, *Fln.*
longipes, *Ztt.*
umbratica, *Mg.*
semicinerea, *W.*
læta, *Fln.*
perdita, *Mg.*
errans, *Mg.*
signata, *Mg.*
lasiophthalma, *Mcq.*
erratica, *Fln.*
basalis, *Ztt.*
quadrinotata, *Mg.*
boleticola, *Rnd.*
rufipalpis, *Mcq.*
abdominalis, *Ztt.*
scutellaris, *Fln.*
populi, *Mg.*
pallida, *F.*

ALLŒOSTYLUS, *Schnbl.*
simplex, *W.*
sudeticus, *Schnbl.*
flaveola, *Fln.*

MYDÆA, *Dsv.*
vespertina, *Fln.*
nigritella, *Ztt.*
allotalla, *Mg.*
urbana, *Mg.*
angelicæ, *Scop.*
tincta, *Ztt.*
pagana, *F.*
affinis, *Meade.*
nigricolor, *Fln.*
impuncta, *Fln.*
separata, *Mg.*

SPHECOLYMA, *Perr.*
inanis, *Fln.*

SPILOGASTER, *Mcq.*
nigrinervis, *Ztt.*
maculosa, *Mg.*
notata, *Fln.*
quadrimaculata, *Fln.*
duplicata, *Mg.*
communis, *Dsv.*
atripes, *Meade.*
duplaris, *Ztt.*
quadrum, *F.*
fratercula, *Ztt.*
depuncta, *Fln.*
tetrastigma, *Mg.*
flagripes, *Rnd.*
protuberans, *Ztt.*
uliginosa, *Fln.*
ungulata, *Rnd.*
consimilis, *Fln.*
pertusa, *Mg.*
spinifemorata, *Meade.*
fuscata, *Fln.*
trigonalis, *Mg.*
ciliatocosta, *Ztt.*
scrupulosa, *Ztt.*?

LIMNOPHORA, *Dsv.*

compuncta, *W.*
sororcula, *Ztt.*
trianguligera, *Ztt.*
contractifrons, *Ztt.*
septemnotata, *Ztt.*
solitaria, *Ztt.*
litorea, *Fln.*
triangula, *Fln.*

MELANOCHILA, *Rnd.*

riparia, *Fln.*

MACRORCHIS, *Rnd.*

meditata, *Fln.*

CHELISIA, *Rnd.*

monilis, *Mg.*

HYDROTÆA, *Dsv.*

ciliata, *F.*
occulta, *Mg.*
curvipes, *Ztt.*
cyrtoneurina, *Ztt.*
irritans, *Fln.*
dentimana, *Mg.*
dentipes, *F.*
palæstrica, *Mg.*
similis, *Meade.*
Rondanii, *Meade.*
impexa, *Lw.*
velutina, *Dsv.*
brevipennis, *Lw.*
meteorica, *L.*
armipes, *F.*
albipuncta, *Ztt.*
fasciculata, *Meade.*
parva, *Meade.*
glabricula, *Fln.*

OPHYRA, *Dsv.*

leucostoma, *W.*
anthrax, *Mg.*

DRYMIA, *Mg.*

hamata, *Fln.*

POGONOMYIA, *Rnd.*

alpicola, *Rnd.*

TRICHOPTICUS, *Rnd.*

cunctans, *Mg.*
semipellucidus, *Ztt.*
rostratus, *Meade.*
aculeipes, *Ztt.*
hirsutulus, *Ztt.*
innocuus, *Ztt.*
pulcher, *Meade.*

ANTHOMYINÆ.

HYDROPHORIA, *Dsv.*

ambigua, *Fln.*
divisa, *Mg.*
caudata, *Ztt.*
conica, *W.*
brunneifrons, *Ztt.*
linogrisea, *Mg.*
anthomyiea, *Rnd.*
socia, *Fln.*
albifrons, *Meade.*

HYLEMYIA, *Dsv.*

virginea, *Mg.*
variata, *Fln.*
spinosa, *Rnd.*?
lasciva, *Ztt.*
flavipennis, *Fln.*
seticrura, *Rnd.*
cardui, *Mg.*
nigrescens, *Rnd.*
pullula, *Ztt.*
cinerella, *Mg.*
cinerosa, *Ztt.*
antiqua, *Mg.*
grisea, *Fln.*
strigosa, *F.*
nigrimana, *Mg.*
præpotens, *W.*
puella, *Mg.*
operosa, *Mg.*
coarctata, *Fln.*
penicillaris, *Rnd.*
criniventris, *Ztt.*
tibiaria, *Rnd.*

EUSTALOMYIA, *Kow.*

hilaris, *Fln.*
festiva, *Ztt.*

MYCOPHAGA, *Rnd.*

fungorum, *Deg.*

LASIOPS, *Rnd.*

Rœderi, *Kow.*
ctenoctema, *Kow.*
Meadii, *Kow.*

ANTHOMYIA, *Mg.*

pluvialis, *L.*
albicincta, *Fln.*
pratincola, *Pz.*
radicum, *L.*
sulciventris, *Ztt.*

CHORTOPHILA, *Mcq.*

buccata, *Fln.*
unilineata, *Ztt.*
albescens, *Ztt.*
arenosa, *Ztt.*
striolata, *Fln.*
cinerea, *Fln.*
cinerella, *Fln.*
curvicauda, *Ztt.*
trapezina, *Ztt.*
impudica, *Rnd.*
odontogaster, *Ztt.*
cinerea, ♀ *Meade.*
sepia, *Mg.*
Billbergi, *Ztt.*
sylvestris, *Fln.*
longula, *Fln.*

PHORBIA, *Dsv.*

floccosa, *Mcq.*
transversalis, *Ztt.*
discreta, *Mg.*
pudica, *Rnd.*
dissecta, *Mg.*
lactucæ, *Bouché.*
seneciella, *Meade.*
intersecta, *Mg.*?
obscura, *Mcq.*
muscaria, *Mg.*
histrio, *Ztt.*
cilicrura, *Rnd.*
trichodactyla, *Rnd.*
florilega, *Ztt.*
vetula, *Ztt.*?
ignota, *Rnd.*
cepetorum, *Meade.*
cinerea, ♂ *Meade.*
neglecta, *Meade.*
exigua, *Meade.*

PEGOMYIA, *Dsv.*
betæ, *Curt.*
conformis, *Fln.*
palliceps, *Ztt.*
hæmorrhoum, *Ztt.*
rufipes, *Fln.*
transversa, *Fln.*
transgressa, *Ztt.*
latitarsis, *Ztt.*
bicolor, *W.*
nigritarsis, *Ztt.*
fulgens, *Mg.*
exilis, *Mg.*
ephippium, *Ztt.*
versicolor, *Mg.*
flavipes, *Fln.*
vittigera, *Ztt.*
silacea, *Mg.*

CHIROSIA, *Rnd.*
albitarsis, *Ztt.*

HOMALOMYINÆ.

HOMALOMYIA, *Bouché.*
hamata, *Mcq.*
aprica, *Hal.*
fuscula, *Fln.*
pretiosa, *Schin.*
Roserii, *Rnd.*
pallitibia, *Rnd.*
manicata, *Mg.*
monilis, *Hal.*
scalaris, *F.*
canicularis, *L.*
armata, *Mg.*
aërea, *Ztt.*
carbonaria, *Meade.*
umbrosa, *Stein.*
coracina, *Lw.*
Kowarzi, *Verr.*
Verrallii, *Stein.*
postica, *Stein.*
sociella, *Ztt.*
? *lepida*, *W.*
triangulifera, *Meade.*
similis, *Stein.*
parva, *Stein.*
serena, *Fln.*
corvina, *Verr.*
polychæta, *Stein.*
? *lepida*, *W.*

glaucescens, *Ztt.*
herniosa, *Rnd.*
incisurata, *Ztt.*
vesparia, *Meade.*
mutica, *Ztt.*
triangulifera, *Rnd.*
nigrisquama, *Meade.*
genualis, *Stein.*

PIEZURA, *Rnd.*
pardalina, *Rnd.*

AZELIA, *Dsv.*
Macquarti, *Stæg.*
Zetterstedti, *Rnd.*
cilipes, *Hal.*
triquetra, *W.*
gibbera, *Mg.*
aterrima, *Mg.*

CŒLOMYIA, *Hal.*
mollissima, *Hal.*

CŒNOSINÆ.

CARICEA, *Dsv.*
tigrina, *F.*
exsul, *Ztt.*
humilis, *Mg.*
sexmaculata, *Mg.*
intermedia, *Fln.*
means, *Mg.*

ALLOGNOTA, *Pok.*
agromyzella, *Rnd.*

CŒNOSIA, *Mg.*
infantula, *Rnd.*
elegantula, *Rnd.*
tricolor, *Meade.*
pallicornis, *Ztt.*
sexnotata, *Mg.*
genualis, *Rnd.*
geniculata, *Fln.*
verna, *F.*
pedella, *Fln.*
costata, *Mg.*
pictipennis, *Lw.*

ATHERIGONA, *Rnd.*
varia, *Mg.*

HOPLOGASTER, *Rnd.*
mollicula, *Fln.*

LISPE, *Ltr.*
tentaculata, *Deg.*
litorea, *Fln.*
gemina, *v. d. Wulp.*
crassiuscula, *Lw.*
uliginosa, *Fln.*
pulchella, *Lw.*

FUCELLIA, *Dsv.*
fucorum, *Fln.*
maritima, *Hal.*
muscaria, *Ztt.*

CORDYLURIDÆ.

CORDYLURA, *Fln.*
pudica, *Mg.*
rufimana, *Mg.*
pubera, *F.*
ciliata, *Mg.*
umbrosa, *Mg.*
biseta, *Lw.*
similis, *Siebke.*
rufipes, *Mg.*

PARALLELOMMA, *Beck.*
albipes, *Fln.*
vittata, *Mg.*

CNEMOPOGON, *Rnd.*
apicalis, *Mg.*

LEPTOPA, *Ztt.*
filiformis, *Ztt.*

AMAUROSOMA, *Beck.*
fasciata, *Mg.*
brevipennis, Curt.
tibiella, *Ztt.*

NORELLIA, *Dsv.*
spinimana, *Fln.*
flavicauda, *Mg.*
nervosa, *Mde.* (*nec Mg.*).
striolata, *Mg.* pt.
liturata, *Mg.*
spinigera, *Ztt.*

HYDROMYZA, *Flu.*
livens, *F.*

POGONOTA, *Ztt.*
hircus, *Ztt.*

MICROPROSOPA, *Beck.*
pallipes, *Ztt.*
heteromyzina, *Ztt.*

TRICHOPALPUS, *Rnd.*
fraternus, *Mg.*
punctipes, *Mg.*

SPATHIOPHORA, *Rnd.*
hydromyzina, *Fln.*
Falleni, *Schin.*

SCATOPHAGA, *Mg.*
scybalaria, *L.*
tæniopa, *Rnd.*
suilla, *F.*
spurca, *Mg.*
scatomyzoides, *Ztt.*
inquinata, *Mg.*
maculipes, *Ztt.*
ordinata, *Beck.*
analis, *Mg.*
lutaria, *F.*
stercoraria, *L.*
merdaria, *F.*
squalida, *Mg.*
litorea, *Fln.*
villipes, *Ztt.*
fontanalis, *Rnd.*
maculipennis, *Beck.* (*in litt.*)
arrogans, *Hal.*
calida, *Hal.*
rudis, *Hal.*
decipiens, *Hal.*
dalmatica, *Beck.*
eximia, *Hal.*

CERATINOSTOMA, *Meade.*
ostiorum, *Hal.*

CONIOSTERNUM, *Beck.*
obscurum, *Fln.*

CLIDOGASTRA, *Mcq.*
nigrita, *Fln.*

GYMNOMERA, *Rnd.*
tarsea, *Fln.*
dorsata, *Ztt.*

THYREOPHORA, *Mg.*
furcata, *F.*

PHYCODROMIDÆ.

ORYGMA, *Mg.*
luctuosum, *Mg.*

PHYCODROMA, *Stnh.*
sciomyzina, *Hal.*

CŒLOPA, *Mg.*
pilipes, *Hal.*
frigida, *Mg.*

FUCOMYIA, *Hal.*
gravis, *Hal.*
eximia, *Stnh.*
frigida, *Fln.*
parvula, *Hal.*
glabra, *Wlk.*

HELOMYZIDÆ.

HELOMYZA, *Fln.*
humilis, *Mg.*
inornata, *Lw.*
rufa, *Fln.*
variegata, *Lw.*
pectoralis, *Lw.*
affinis, *Mg.*
flava, *Mg.*
similis, *Mg.*
lævifrons, *Lw.*
suilloidea, (*Desv.*) *Hal.*
ustulata, *Mg.*
montana, *Lw.*
Zetterstedtii, *Lw.*
pallida, *Fln.* (*nec Ztt.*)
olens, (*Mg.* ?) *Lw.*
flavifrons, *Ztt.*

ALLOPHYLA, *Lw.*
atricornis, *Lw.*

SCOLIOCENTRA, *Lw.*
villosa, *Mg.*

ŒCOTHEA, *Hal.*
fenestralis, *Fln.*

ECCOPTOMERA, *Lw.*
sp.?

BLEPHAROPTERA, *Lw.*
spectabilis, *Lw.*
ruficauda, *Ztt.*
inscripta, *Mg.*
humeralis, *Ztt.*
flavicornis, *Lw.*
ruficornis, *Mg.*
serrata, *L.*
modesta, *Mg.*

HETEROMYZA, *Fln.*
atricornis, *Mg.*
commixta, *Coll.*
rotundicornis, *Meade* (*nec Ztt.*)
oculata, *Fln.*
magnicornis, *Lw.*

TEPHROCHLAMYS, *Lw.*
rufiventris, *Mg.*
flavipes, *Ztt.*

HETERONEURIDÆ.

HETERONEURA, *Fln.*
albimana, *Mg.*
alpina, *Lw.*
nigrimana, *Lw.*

STOMPHASTICA, *Lw.*
flava, *Mg.*
tigrina, *Fln.*
decora, *Lw.*

TRIGONOMETOPUS, *Mcq.*
frontalis, *Mg.*

SCIOMYZIDÆ.

LUCINA, *Mg.*
fasciata, *Mg.*

ACTORA, *Mg.*
æstuum, *Mg.*

ŒDOPAREA, *Lw.*
buccata, *Fln.*

DRYOMYZA, *Fln.*
flaveola, *F.*
decrepita, *Ztt.*

NEUROCTENA, *Rnd.*
anilis, *Fln.*

NEOTTIOPHILUM, *Frfld.*
præustum, *Mg.*

SCIOMYZA, *Fln.*
brevipennis, *Ztt.*
glabricula, *Fln.*
nigrimana, *Mg.*
pallida, *Fln.*
fuscinervis, *Ztt.*
obtusa, *Fln.*
bifasciella, *Fln.*
nana, *Fln.*
Schœnherri, *Fln.*
cinerella, *Fln.*
dubia, *Fln.*
pallidiventris, *Fln.*
virgata, *Hal.*
pallidicarpa, *Rnd.*
ventralis, *Fln.*
pusilla, *Ztt.*
simplex, *Fln.*
lata, *Schin.*
dorsata, *Ztt.*
ruficeps, *Ztt.*
griseola, *Fln.*
nasuta, *Ztt.*
albocostata, *Fln.*
vittata, *Hal.*

PHÆOMYIA, *Schin.*
fuscipennis, *Mg.*

PELIDNOPTERA, *Rnd.*
nigripennis, *F.*

TETANOCERA, *Dum.*
elata, *F.*
lævifrons, *Lw.*
sylvatica, *Mg.*
unicolor, *Lw.*
ferruginea, *Fln.*
robusta, *Lw.*
punctata, *F.*
coryleti, *Scop.*
reticulata, *F.*
umbrarum, *L.*
punctulata, *Scop.*
chærophylli, *F.*
coryleti, *Schin.* (*nec Scop.*)

LIMNIA, *Dsv.*
marginata, *F.*
unguicornis, *Scop.*
rufifrons, *F.*
obliterata, *F.*

ELGIVA, *Mg.*
albiseta, *Scop.*
dorsalis, *F.*
lineata, *Fln.*
rufa, *Pz.*
cucularia, *L.*

SEPEDON, *Ltr.*
sphegeus, *F.*
spinipes, *Scop.*

PSILIDÆ.

PSILA, *Mg.*
fimetaria, *L.*
rufa, *Mg.*
pallida, *Fln.*
debilis, *Egg.*
pectoralis, *Mg.*
rosæ, *F.*
nigricornis, *Mg.*
atra, *Mg.*
nigra, *Fln.*
bicolor, *Mg.*
villosula, *Mg.*

PSILOSOMA, *Ztt.*
Lefebvrii, *Ztt.*

CHYLIZA, *Fln.*
atriseta, *Mg.*
annulipes, *Mcq.*
leptogaster, *Pz.*
vittata, *Mg.*

LOXOCERA, *Mg.*
aristata, *Pz.*
var. Yerburyi, *Aust.*
albiseta, *Schrk.*
sylvatica, *Mg.*
nigrifrons, *Mcq.*
fulviventris, *Mg.*

LISSA, *Mg.*
loxocerina, *Fln.*

MICROPEZIDÆ.

MICROPEZA, *Mg.*
corrigiolata, *L.*
lateralis, *Mg.*

CALOBATA, *Mg.*
ephippium, *F.*
cibaria, *L.*
cothurnata, *Pz.*
petronella, *L.*
adusta, *Lw.*
trivialis, *Lw.*
stylifera, *Lw.*
sellata, *Mg.*

ORTALIDÆ.

ORTALINÆ.

DORYCERA, *Mg.*
graminum, *F.*

TETANOPS, *Fln.*
myopina, *Fln.*

PTILONOTA, *Lw.*
guttata, *Mg.*
centralis, *F.*

ORTALIS, *Fln.*
gangrænosa, *F.*
ornata, *Mg.*

LOXODESMA, *Lw.*
lacustris, *Mg.*

PTEROPÆCTRIA, *Lw.*
afflicta, *Mg.*
nigrina, *Mg.*
paludum, *Fln.*
palustris, *Mg.*
frondescentiæ, *L.*
oscillans, *Mg.*
mœrens, *Mg.*

CEROXYS, *Mcq.*
pictus, *Mg.*
crassipennis, *F.*
omissus, *Mg.*

ANACAMPTA, *Lw.*
urticæ, *L.*
hyalinata, *Pz.*

PLATYSTOMINÆ.

PLATYSTOMA, *Mg.*
seminationis, *F.*

RIVELLIA, *Dsv.*
syngenesiæ, *F.*

ULIDINÆ.

SEOPTERA, *Kirby.*
vibrans, *L.*

ULIDIA, *Mg.*
erythropthalma, *Mg.*

CHRYSOMYZA, *Fln.*
demandata, *F.*

TRYPETIDÆ.

CERATITIS, *McLeay.*
capitata, *W.*

PLATYPAREA, *Lw.*
discoidea, *F.*

ANOMŒA, *Wlk.*
antica, *W.*

ACIURA, *Dsv.*
rotundiventris, *Fln.*

ACIDIA, *Dsv.*
cognata, *W.*
heraclei, *L.*
lychnidis, *F.*

GONYGLOSSUM, *Rnd.*
Wiedemanni, *Mg.*

CHÆTOSTOMA, *Rnd.*
curvinervis, *Rnd.*

SPILOGRAPHA, *Lw.*
abrotani, *Mg.*
Zoë, *Mg.*
hamifera, *Lw.*
artemisiæ, *F.*
alternata, *Fln.*
Meigenii, *Lw.*

RHAGOLETIS, *Lw.*
cerasi, *L.*

RHACOCHLÆNA, *Lw.*
toxoneura, *Lw.*

TRYPETA, *Mg.*
jaceæ, *Dsv.*
falcata, *Scop.*
onotrophes, *Lw.*
cornuta, *F.*
tussilaginis, *F.*
lappæ, *Cedj.*
florescentiæ, *L.*
colon, *Mg.*
serratulæ, *L.*

MYOPITES, *Breb.*
Blotii, *Breb.*
inulæ, *v. Roser.*
Frauenfeldi, *Schin.*

UROPHORA, *Dsv.*
spoliata, *Hal.*
macrura, *Lw.*
solstitialis, *L.*
stylata, *F.*
aprica, *Fln.*
quadrifasciata, *Mg.*
cardui, *L.*

SPHENELLA, *Lw.*
marginata, *Fln.*

CARPHOTRICHA, *Lw.*
guttularis, *Mg.*
pupillata, *Fln.*

ICTERICA, *Lw.*
Westermanni, *Mg.*

ENSINA, *Dsv.*
sonchi, *L.*

TEPHRITIS, *Ltr.*
parietina, *L.*
miliaria, *Schrk.*
corniculata, *Fln.*
flavipennis, *Lw.*
proboscidea, *Lw.*
plantaginis, *Hal.*
tessellata, *Lw.*
absinthii, *F.*
elongatula, *Lw.*
hyoscyami, *L.*
formosa, *Lw.*
conura, *Lw.*
ruralis, *Lw.*
vespertina, *Lw.*
dioscurea, *Lw.*
leontodontis, *Deg.*
bardanæ, *Schrk.*

EUARESTA, *Lw.*
conjuncta, *Lw.*
guttata, *Fln.*

URELLIA, *Dsv.*
cometa, *Lw.*
eluta, *Mg.*
amœna, *Frfld.*
stellata, *Fuessl.*

LONCHÆIDÆ.

LONCHÆA, *Fln.*
vaginalis, *Fln.*
chorea, *F.*
tarsata, *Fln.*
palposa, *Ztt.*
ænea, *Mg.*
pusilla, *Mg.*
latifrons, *Mg.*
nigra, *Mg.*
nigrimana, *Mg.*

PALLOPTERA, *Fln.*
saltuum, *L.*
ustulata, *Fln.*
umbellatarum, *F.*
parallela, *Lw.*
ambusta, *Mg.*
trimacula, *Mg.*
arcuata, *Fln.*
usta, *Mg.*

TOXONEURA, *Mcq.*
muliebris, *Harr.*
fasciata, *Mcq.*

SAPROMYZIDÆ.

PEPLOMYZA, *Hal.*
Wiedemanni, *Lw.*
? *Baumhaueri*, *Lw.*

SAPROMYZA, *Fln.*
longipennis, *F.*
lupulina, *F.*

fasciata, *Fln.*
inusta, *Mg.*
spectabilis, *Lw.*
flaviventris, *Costa.*
decempunctata, *Fln.*
notata, *Fln.*
pallidiventris, *Fln.*
bipunctata, *Mg.*
quadripunctata, *L.*
obsoleta, *Fln.*
pallida, *Fln.*
sordida, *Hal.*
biumbrata, *Lw.*
rorida, *Fln.*
præusta, *Fln.*
albiceps, *Fln.*
placida, *Mg.*
plumicornis, *Fln.*
tarsella, *Ztt.*
decipiens, *Lw.*
apicalis, *Lw.*
anisodactyla, *Lw.*
difformis, *Lw.*

LAUXANIA, *Ltr.*
cylindricornis, *F.*
Elisæ, *Mg.*
atrimana, *Mg.*
ænea, *Fln.*
geniculata, *F.*
hyalinata, *Mg.*
amica, *Hal.*

OPOMYZIDÆ.

BALIOPTERA, *Lw.*
tripunctata, *Fln.*
combinata, *L.*
venusta, *Mg.*

OPOMYZA, *Fln.*
germinationis, *L.*
florum, *F.*
asteia, *Hal.*

PELETHOPHILA, *Hagenb.*
lutea, *Fln.*
flava, *L.*

RHICNOËSSA, *Lw.*
cinerella, *Hal.*

TETANURA, *Fln.*
pallidiventris, *Fln.*

SEPSIDÆ.

SEPSIS, *Fln.*
punctum, *F.*
pectoralis, *Mcq.*
violacea, *Mg.*
cynipsea, *L.*
flavimana, *Mg.*
nigripes, *Mg.*
pilipes, *v. d. Wulp.*
ornata, *Mg.*
maculipes, *Wlk.*
concinna, *Wlk.*
duplicata, *Hal.*

NEMOPODA, *Dsv.*
cylindrica, *F.*
stercoraria, *Dsv.*
nigricornis, *Mg.*
tarsalis, *Wlk.*
fumipennis, *Wlk.*

HENICITA, *Westw.*
annulipes, *Mg.*
Leachi, *Mg.*

THEMIRA, *Dsv.*
putris, *L.*
pilosa, *Dsv.*
spinosa, *Verr.*
superba, *Hal.*
minor, *Hal.*

SALTELLA, *Dsv.*
sphondylii, *Schrk.*
scutellaris, *Fln.*
nigripes, *Dsv.*
quadriala Hw
MYCETAULUS, *Lw.*
bipunctatus, *Fln.*

PIOPHILIDÆ.

PIOPHILA, *Fln.*
casei, *L.*
luteata, *Hal.*
atrata, *F.*
varipes, *Mg.*
affinis, *Mg.*
nigrimana, *Mg.*
nigriceps, *Mg.*
latipes, *Mg.*
nigricornis, *Mg.*
apii, *Westw.*

MADIZA, *Fln.*
glabra, *Fln.*
latipes, *Mg.*

GEOMYZIDÆ.

ANTHOMYZA, *Fln.*
grisea, *Fln.*
gracilis, *Fln.*
flavipes, *Ztt.*

GEOMYZA, *Fln.*
marginella, *Fln.*
sabulosa, *Hal.*
cingulata, *Hal.*
obscurella, *Fln.*

DIASTATA, *Mg.*
punctum, *Mg.*
obscuripennis, *Mg.*
nigripennis, *Lw.*
unipunctata, *Ztt.*
costata, *Mg.*
fulvifrons, *Hal.*
nebulosa, *Fln.*

TETHINA, *Hal.*
illota, *Hal.*

EPHYDRIDÆ.

NOTIPHILINÆ.

DICHÆTA, *Mg.*
caudata, *Fln.*

NOTIPHILA, *Fln.*
uliginosa, *Hal.*
nigricornis, *Stnh.*
stagnicola, *Mcq.* (*nec Stnh.*).
australis *Lw.*
guttiventris, *Stnh.*
maculata, *Stnh.*
venusta, *Lw.*
riparia, *Mg.*
cinerea, *Fln.*
dorsata, *Stnh.*
annulipes, *Stnh.*

TRIMERINA, *Mcq.*
madizans, *Fln.*

DISCOMYZA, *Mg.*
incurva, *Fln.*
cimiciformis, *Hal.*

PSILOPA, *Fln.*
leucostoma, *Mg.*
nitidula, *Fln.*
compta, *Mg.*
nigritella, *Stnh.*

DISCOCERINA, *Mcq.*
obscurella, *Fln.*
nigrina, *Mg.*
calceata, *Mg.*
pulicaria, *Hal.*

ATHYROGLOSSA, *Lw.*
glabra, *Mg.*

HECAMEDE, *Hal.*
albicans, *Mg.*

HYDRELLINÆ.

GLENANTHE, *Hal.*
ripicola, *Hal.*

HYDRELLIA, *Dsv.*
albilabris, *Mg.*
thoracica, *Hal.*
laticeps, *Stnh.*
flavilabris, *Stnh.*
discolor, *Stnh.*
hydrocotyles, *Hal.*
porphyrops, *Hal.*
griseola, *Fln.*
chrysostoma, *Mg.*
nigripes, *Ztt.*
cochleariæ, *Hal.*
ranunculi, *Hal.*
tarsata, *Hal.*
albiceps, *Mg.*

ATISSA, *Hal.*
pygmæa, *Hal.*

PHILHYGRIA, *Stnh.*
picta, *Fln.*
punctatonervosa, *Fln.*
stictica, *Mg.*
interrupta, *Hal.*
flavipes, *Fln.*
posticata, *Mg.*
interstincta, *Fln.*

HYADINA, *Hal.*
scutellata, *Hal.*
guttata, *Fln.*

AXYSTA, *Hal.*
cesta, *Hal.*

PELINA, *Hal.*
ænea, *Hal.*
ænescens, *Stnh.*

OCHTHERA, *Ltr.*
mantis, *Deg.*

EPHYDRINÆ.

CANACE, *Hal.*
nasica, *Hal.*
ranula, *Lw.*

PARHYDRA, *Stnh.*
pusilla, *Mg.*
pubera, *Lw.*
fossarum, *Hal.*
quadripunctata, *Mg.*
aquila, *Fln.*
coarctata, *Fln.*
litoralis, *Mg.*

HALMOPOTA, *Hal.*
salinarum, *Bouché.*

EPHYDRA, *Fln.*
riparia, *Fln.*
halophila, *v. Heyd.*
micans, *Hal.*
breviventris, *Lw.*

ILYTHEA, *Hal.*
spilota, *Hal.*

CÆNIA, *Dsv.*
defecta, *Hal.*
obscura, *Mg.*
palustris, *Fln.*
albula, *Mg.*

SCATELLA, *Dsv.*
quadrata, *Fln.*
sibilans, *Hal.*
sorbillans, *Hal.*
æstuans, *Hal.*
stagnalis, *Fln.*
lutosa, *Hal.*
noctula, *Mg.*
leucostoma, *Mg.*

SCATOPHILA, *Beck.*
cribrata, *Stnh.*
despecta, *Hal.*

TICHOMYZA, *Mcq.*
fusca, *Mcq.*

MOSILLUS, *Ltr.*
subsultans, *F.*

DROSOPHILIDÆ.

LEUCOPHENGA, *Mik.*
maculata, *Duf.*

SCAPTOMYZA, *Hardy.*
flaveola, *Mg.*
graminum, *Fln.*
flava, *Fln.*
gracilis, *Wlk.*

DROSOPHILA, *Fln.*
transversa, *Fln.*
phalerata, *Mg.*
melanogaster, *Mg.*
fenestrarum, *Fln.*
confusa, *Stæg.*
funebris, *F.*
tristis, *Fln.*
obscura, *Fln.*
litoralis, *Mg.*
cameraria, *Hal.*
nigrita, *Hal.*
ingrata, *Hal.*

NOTEROPHILA, *Rnd.*
glabra, *Fln.*

AULACIGASTER, *Mcq.*
rufitarsis, *Mcq.*

ACLETOXENUS, *Frfld.*
syrphoides, *Frfld.*

STEGANA, *Mg.*
coleoptrata, *Scop.*
curvipennis, *Fln.*

CHLOROPIDÆ.

LIPARA, *Mg.*
lucens, *Mg.*
rufitarsis, *Lw.*

EURINA, *Mg.*
lurida, *Mg.*

PLATYCEPHALA, *Fln.*
umbraculata, *F.*
planifrons, *F.*

CAMAROTA, *Mg.*
flavitarsis, *Mg.*

SELACHOPS, *Whlbg.*
flavocincta, *Whlbg.*

MEROMYZA, *Mg.*
pratorum, *Mg.*
saltatrix, *L.*
variegata, *Mg.*
nigriventris, *Mcq.*
læta, *Mg.*

CENTOR, *Lw.*
cereris, *Fln.*
myopinus, *Lw.*
nudipes, *Lw.*

ANTHRACOPHAGA, *Lw.*
strigula, *F.*
frontosa, *Mg.*

HAPLEGIS, *Lw.*
tarsata, *Fln.*
divergens, *Lw.*
rufifrons, *Lw.*

EUTROPHA, *Lw.*
fulvifrons, *Hal.*

DIPLOTOXA, *Lw.*
messoria, *Fln.*

CHLOROPS, *Mg.*
Meigenii, *Lw.*
brevimana, *Lw.*
tæniopus, *Mg.*
puncticollis, *Ztt.*
speciosa, *Mg.*
læta, *Mg.*
rufina, *Ztt.*
scalaris, *Mg.*
gracilis, *Mg.*
cinctipes, *Mg.*
lateralis, *Hal.*

CHLOROPISCA, *Lw.*
ornata, *Mg.*
glabra, *Mg.*

OSCINIS, *Ltr.*
albiseta, *Mg.*
maura, *Fln.*
rapta, *Hal.*
frit, *L.*
vastator, *Curt.*
granarius, *Curt.*
pusilla, *Mg.*

SIPHONELLA, *Mcq.*
lævigata, *Fln.*
capreolus, *Hal.*
palposa, *Fln.*

ELACHYPTERA, *Mcq.*
brevipennis, *Mg.*
cornuta, *Fln.*

MILICHIDÆ.

CACOXENUS, *Lw.*
indagator, *Lw.*

MILICHIA, *Mg.*
ornata, *Ztt.*

PHYLLOMYZA, *Fln.*
securicornis, *Fln.*

AGROMYZIDÆ.

DESMOMETOPA, *Lw.*
M-atrum, *Mg.*

AGROMYZA, *Fln.*
vagans, *Fln.*
lacteipennis, *Fln.*
obscurella, *Fln.*
lutea, *Mg.*
pusilla, *Mg.*
nigripes, *Mg.*
flaveola, *Fln.*
nana, *Mg.*
exigua, *Mg.*
latipes, *Mg.*
pistaciæ, *Curt.*
violæ, *Curt.*
flavonotata, *Hal.*
geniculata, *Fln.*

CERATOMYZA, *Schin.*
denticornis, *Pz.*

LIOMYZA, *Mcq.*
glabricula, *Mg.*
flavipes, *Fln.*

LEUCOPIS, *Mg.*
puncticornis, *Mg.*
obscura, *Hal.*
griseola, *Fln.*
annulipes, *Ztt.*

OCHTHIPHILA, *Fln.*
polystigma, *Mg.*
juncorum, *Fln.*
aridella, *Fln.*
geniculata, *Hal.*
flavipalpis, *Hal.*
maritima, *Ztt.*
spectabilis, *Lw.*

SCHŒNOMYZA, *Hal.*
litorella, *Fln.*
fasciata, *Mg.*

PHYTOMYZIDÆ.

NAPOMYZA, *Hal.*
lateralis, *Fln.*

PHYTOMYZA, *Fln.*
plantaginis, *Gour.*
nigricans, *Mcq.*
albipennis, *Fln.*
notata, *Mg.*
rufipes, *Mg.*
analis, *Ztt.*
Zetterstedtii, *Schin.*
flava, *Fln.*
flaviventris, *Ztt.*
populicola, *Wlk.*
aquilegiæ, *Hardy.*

CHROMATOMYIA, *Hardy.*
ilicis, *Curt.*
obscurella, *Fln.*
nigra, *Mg.*

affinis, *Mg.*
albiceps, *Mg.*
flaviceps, *Mcq.*
cinereifrons, *Hardy.*

ASTIADÆ.

ASTIA, *Mg.*

concinna, *Mg.*
amœna, *Mg.*

BORBORIDÆ.

BORBORUS, *Mg.*

nitidus, *Mg.*
notabilis, *Coll.*
niger, *Mg.*
suillorum, *Hal.*
Roseri, *Rnd.*
pallifrons, *Fln.*
pedestris, *Mg.*
longipennis, *Hal.*
vitripennis, *Mg.*
sordidus, *Ztt.*
equinus, *Fln.*
nigrifemoratus, *Mcq.*
geniculatus, *Mcq.*

SPHÆROCERA, *Ltr.*

subsultans, *F.*
monilis, *Hal.*
eximia, *Coll.*
denticulata, *Mg.*
vaporariorum, *Hal.*
pusilla, *Fln.*
scabricula, *Hal.*

LIMOSINA, *Mcq.*

lugubris, *Hal.*
acutangula, *Ztt.*
vagans, *Hal.*
ferruginata, *Stnh.*
fuscipennis, *Hal.*
fontinalis, *Fln.*
roralis, *Rnd.*
lutosa, *Stnh.*
Halidayi, *Coll.*
limosa, *Fln.*
geniculata, *Mcq.*
Zosteræ, *Hal.*
pumilio, *Mg.*
flaviceps, *Stnh.*
sylvatica, *Mg.*
curtiventris, *Stnh.*
ochripes, *Mg.*
scutellaris, *Hal.*
erratica, *Hal.*
nivalis, *Hal.*
clunipes, *Mg.*
heteroneura, *Hal.*
rufilabris, *Stnh.*
crassimana, *Hal.*
quisquilia, *Hal.*
fungicola, *Hal.*
vitripennis, *Ztt.*
coxata, *Stnh.*
spinipennis, *Hal.*
minutissima, *Ztt.*
mirabilis, *Coll.*
nigerrima, *Hal.*
atomus, *Rnd.*
melania, *Hal.*
leucoptera, *Hal.*

PHORIDÆ.

CONICERA, *Mg.*

atra, *Mg.*
similis, *Hal.*

PLATYPHORA, *Verr.*

Lubbocki, *Verr.*

GYMNOPHORA, *Mcq.*

arcuata, *Mg.*

TRINEURA, *Mg.*

aterrima, *F.*
velutina, *Mg.*
stictica, *Mg.*

PHORA, *Ltr.*

opaca, *Mg.*
trinervis, *Beck.*
lugubris, *Mg.*
thoracica, *Mg.*
urbana, *Mg.*
fennica, *Beck.*
crassicornis, *Mg.*
concinna, *Mg.*
maculata, *Mg.*
unispinosa, *Ztt.*
dorsalis, *Beck.*
erythronota, *Strobl.*
curvinervis, *Beck.*
abdominalis, *Fln.*
incrassata, *Mg.*
carinifrons, *Ztt.*
autumnalis, *Beck.*
formicarum, *Verr.*
pygmæa, *Ztt.*
fasciata, *Fln.*
lutea, *Mg.*
melanocephala, *v. Ros.*
rufipes, *Mg.*
pulicaria, *Fln.*
minor, *Ztt.*
ciliata, *Ztt.*
flava, Fln.
gracilipes, Mg.
pumila, Mg.
fuscipes, Mcq.
funebris. Mg.
florea, F.

METOPINA, *Mcq.*

galeata, *Hal.*

EPROBOSCIDEA.

HIPPOBOSCIDÆ.

HIPPOBOSCA, *L.*

equina, *L.*

ORNITHOMYIA, *Ltr.*

avicularia, *L.*

STENOPTERYX, *Leach.*

hirundinis, *L.*

OXYPTERUM, *Leach.*

pallidum, *Leach.*
Kirbyanum, Leach.

LIPOPTENA, *Nitz.*

cervi, *L.*

MELOPHAGUS, *Ltr.*

ovinus, *L.*

BRAULIDÆ.

BRAULA, *Nitz.*

cæca, *Nitz.*

NYCTERIBIDÆ.

NYCTERIBIA, *Ltr.*

Latreillii, *Leach.*
Hermanni, *Leach.*

Phora.
✓ inaqualis Wd.
✓ picta Thn
✗ morgellaria Thn
✗ pubecicornis

INDEX.

	PAGE
Achalcus	19
Acidia	32
Aciura	32
Acletoxenus	34
Acnemia	9
Acrocera	16
Actora	30
Acyphona	13
Adelphomyia	14
Aëdes	12
Agathomyia	20
Agromyza	35
Allocotocera	9
Allodia	9
Allœoneurus	19
Allœostylus	27
Allognota	29
Allophyla	30
Alophora	25
Amalopis	14
Amaurosoma	29
Anacampta	31
Anachætopsis	25
Anaclinia	9
Anarete	10
Anatella	9
Anepsius	20
Anisomera	14
Anomœa	32
Anopheles	12
Anthomyia	28
Anthomyza	33
Anthracomyia	24
Anthracophaga	35
Anthrax	16
Antipalus	16
Antocha	13
Aphrosylus	20
Aporomyia	24
Arctophila	23
Ardoptera	17
Argyra	19
Ascia	22
Asilus	16
Asindulum	10
Asphondylia	7
Aspistes	10
Astia	36
Atherigona	29
Atherix	15
Athyroglossa	34
Atissa	34
Atylotus	15
Aulacigaster	34
Axysta	34
Azana	9
Azelia	29
Baccha	22
Balioptera	33
Bathycranium	20
Beris	15
Bibio	10
Blepharidea	23
Blepharipoda	24
Blepharomyia	25
Blepharoptera	30
Boletina	9
Bolitophila	10
Bombylius	16
Borborus	36
Bothria	24
Brachycampta	9
Brachychæta	24
Brachycoma	26
Brachyopa	22
Brachypalpus	22
Bradysia	8
Braula	36
Cacoxenus	35
Cænia	34
Callicera	23
Callimyia	20
Calliphora	27
Calliprobola	23
Calobata	31
Camarota	35
Campsicnemus	19
Camptocladius	11
Campylochæta	24
Campylomyza	8
Canace	34
Caricea	29
Carphotricha	32
Catabomba	21
Catocha	8
Cecidomyia	7
Centor	35
Cephenomyia	23
Ceratinostoma	30
Ceratitis	32
Ceratomyza	35
Ceratopogon	12
Ceratopsyllus	7
Cercomyia	25
Ceromasia	23
Ceroplatus	10
Ceroxys	31
Chætolyga	24
Chætostoma	32
Chalarus	20
Chamædipsia	17
Chamæsyrphus	22
Chelisia	28
Chersodromia	18
Chilosia	21
Chilotrichia	13
Chironomus	11
Chirosia	29
Chloromyia	15
Chloropisca	35
Chlorops	35
Chorisops	15
Chortophila	28
Chromatomyia	35
Chrysochlamys	22
Chrysogaster	21
Chrysomyza	32
Chrysonotus	15
Chrysopilus	15
Chrysops	15
Chrysotimus	20
Chrysotoxum	23
Chrysotus	19
Chyliza	31
Clidogastra	30
Clinocera	17
Clista	26
Clunio	12
Clytia	26
Cnemodon	21
Cnemopogon	29
Cœlomyia	29
Cœlopa	30
Cœlosia	9
Cœnosia	29
Conicera	36
Coniosternum	30
Conops	23
Cordyla	8
Cordylura	29
Corethra	12
Corynoneura	11
Cricotopus	11
Criorrhina	22
Ctenophora	14
Ctenopsyllus	7
Culex	12
Cylindrotoma	14
Cynomyia	26
Cynorrhina	22
Cyrtoma	16
Cyrtoneura	27
Dactylolabis	13
Degeeria	24
Demoticus	25
Desmometopa	35
Dexia	26
Dexiosoma	26
Diadocidia	10
Dialineura	16
Diamesa	11
Diaphorus	19
Diastata	33
Dichæta	33
Dicranomyia	13
Dicranota	14
Dictenidia	14
Didea	21
Digonochæta	25
Dilophus	10
Dinera	26
Dioctria	16
Diplosis	8
Diplotoxa	35
Dirrhiza	8
Discocerina	34
Discochæta	25
Discomyza	34
Ditomyia	10
Dixa	13
Docosia	9
Dolichopeza	14
Dolichopus	18
Doros	22
Dorycera	31
Drapetis	17

PAGE
Drosophila 34
Drymia 28
Dryomyza 30
Dynatosoma 8
Dysaletria 18
Dysmachus 16
Eccoptomera 30
Echinomyia 25
Ectomus 19
Elachyptera 35
Elaphropeza 18
Elgiva 31
Empalia 9
Empeda 13
Empheria 9
Empis 17
Engyops 26
Ensina 32
Ephelia 13
Ephippium 15
Ephydra 34
Epicampocera 23
Epidapus 8
Epidosis 8
Epiphragma 14
Epitriptus 16
Erigone 25
Erioptera 13
Eristalis 22
Euaresta 32
Eumerus 22
Euphoria 27
Eurina 35
Eurycnemus 11
Eustalomyia 28
Eutarsus 18
Euthyneura 17
Eutolmus 16
Eutropha 35
Exechia 9
Exorista 23
Fabricia 25
Fortisia 26
Frauenfeldia 26
Frontina 24
Fucellia 29
Fucemyia 30
Gastrophilus 23
Geomyza 33
Geranomyia 13
Germaria 24
Glaphyroptera 9
Glenanthe 34
Gloma 17
Gonia 24
Goniomyia 13
Gonyglossum 32
Graphomyia 27
Gymnochæta 23
Gymnomera 30
Gymnophora 36
Gymnopternus 19
Gymnosoma 25
Hæmatobia 27
Hæmatopota 15
Halmopota 34
Haplegis 35

PAGE
Hecamede 34
Heleodromia 17
Helomyza 30
Helophilus 22
Hemerodromia 17
Henicita 33
Hercostomus 19
Heteromyza 30
Heteroneura 30
Heteronychia 26
Hilara 17
Hippobosca 36
Homalomyia 29
Hoplogaster 29
Hormomyia 8
Hyadina 34
Hybos 16
Hydrellia 34
Hydromyza 29
Hydrophoria 28
Hydrophorus 19
Hydrotæa 28
Hyetodesia 27
Hygroceleuthus ... 18
Hylemyia 28
Hypoderma 23
Hypophyllus 19
Hypostena 25
Hystrichopsylla ... 7
Icterica 32
Idia 27
Idioptera 13
Ilythea 34
Ischyrosyrphus ... 21
Isopogon 16
Kowarzia 17
Lamprochromus ... 20
Laphria 16
Lasiopogon 16
Lasiops 28
Lasioptera 7
Lasiosoma 9
Lauxania 33
Leia 9
Lepidomyia 17
Leptis 15
Leptogaster 16
Leptomorphus 9
Leptopa 29
Leptopeza 17
Lestremia 8
Leucophenga 34
Leucopis 35
Leucostola 19
Leucozona 21
Liancalus 19
Limnia 31
Limnobia 13
Limnophila 14
Limnophora 28
Limosina 36
Liogaster 21
Liogma 14
Liomyza 35
Lipara 35
Lipoptena 36
Lipsothrix 13

PAGE
Lispe 29
Lissa 31
Lœwia 24
Lonchæa 32
Lonchoptera 20
Lophosia 25
Loxocera 31
Loxodesma 31
Lucilia 27
Lucina 30
Machærium 19
Machimus 16
Macquartia 24
Macrocera 10
Macronychia 26
Macroprosopa 24
Macrorchis 28
Madiza 33
Mallota 22
Masicera 23
Medeterus 19
Meigenia 23
Melangyna 21
Melanochila 28
Melanophora 26
Melanostolus 19
Melanostoma 21
Melanota 24
Melophagus 36
Meriania 23
Merodon 22
Meromyza 35
Mesembrina 27
Metopia 26
Metopina 36
Metopodia 26
Metriocnemus 11
Microchrysa 15
Microdon 23
Micromorphus 20
Micromyia 8
Micronychia 24
Micropalpus 25
Micropeza 31
Microphorus 17
Microprosopa 30
Milichia 35
Miltogramma 26
Mintho 24
Mochlonyx 12
Molophilus 13
Monochæta 24
Monoclona 10
Morellia 27
Mosillus 34
Musca 27
Mycetaulus 33
Mycetobia 10
Mycetophila 8
Mycophaga 28
Mycothera 9
Mydæa 27
Myiatropa 22
Myiobia 25
Myiocera 26
Myiolepta 22
Myiospila 27

PAGE
Myiostoma 26
Myopa 23
Myopites 32
Myxexorista 23
Napomyza 35
Nemopoda 33
Nemoræa 26
Nemotelus 15
Neoitamus 16
Neottiophilum 31
Nephrocerus 20
Nephrotoma 14
Neurigona 18
Neuroctena 31
Norellia 29
Noterophila 34
Notiphila 33
Nycteribia 36
Nyctia 26
Ochthera 34
Ochthiphila 35
Ocydromia 17
Ocyptera 25
Ocypterula 25
Odontomyia 15
Œcothea 30
Œlalea 17
Œdoparea 30
Œstrus 23
Olivieria 25
Oncodes 16
Oncomyia 23
Onesia 26
Opetia 20
Ophyra 28
Opomyza 33
Oreogeton 17
Orimarga 13
Ornithomyia 36
Orphnephila 12
Ortalis 31
Orthochile 19
Orthocladius 11
Orthoneura 21
Orygma 30
Osciniis 35
Oxycera 15
Oxypterum 36
Pachygaster 15
Pachymeria 17
Pachyrrhina 14
Palloptera 32
Pamponerus 16
Paragus 20
Parallelomma 29
Parhydra 34
Pedicia 14
Pegomyia 29
Pelatachina 24
Pelecocera 22
Peleteria 25
Pelethophila 33
Pelidnoptera 31
Pelina 34
Peplomyza 32
Perichæta 24
Pericoma 12

PAGE
Peronecera 14
Phæomyia 31
Phalacrocera 14
Pharyngomyia 23
Phasia 25
Philhygria 34
Philonicus 16
Phora 36
Phorbia 28
Phorichæta 25
Phorocera 24
Phronia 9
Phthiria 16
Phycodroma 30
Phyllomyza 35
Physocephala 23
Phyto 26
Phytomyza 35
Piezura 29
Piophila 33
Pipiza 21
Pipizella 21
Pipunculus 20
Plagia 25
Platycephala 35
Platychirus 21
Platycnema 20
Platyparea 32
Platypeza 20
Platyphora 36
Platystoma 32
Platyura 10
Plesiastina 10
Pocota 22
Pœcilobothrus 18
Pœcilostola 14
Pogonomyia 28
Pogonota 29
Polietes 27
Pollenia 27
Polylepta 9
Porphyrops 19
Prosena 26
Protocalliphora ... 27
Psalida 25
Psila 31
Psilocephala 16
Psilopa 34
Psilopus 18
Psilosoma 31
Psilota 21
Psychoda 12
Pteropæctria 31

PAGE
Ptilonota 31
Ptilops 24
Ptiolina 15
Ptychoneura 25
Ptychoptera 13
Pulex 7
Pyrellia 27
Pyrophæna 21
Ragas 17
Redtenbacheria ... 26
Rhacochlæna 32
Rhadiurgus 16
Rhagoletis 32
Rhamphidia 13
Rhamphomyia 16
Rhaphium 19
Rhicnoëssa 33
Rhingia 22
Rhinophora 26
Rhipidia 13
Rhymosia 9
Rhynchista 25
Rhypholophus 13
Rhyphus 14
Rivellia 32
Rœselia 25
Saltella 33
Sapromyza 32
Sarcophaga 26
Sarcophila 26
Sargus 15
Scaptomyza 34
Scatella 34
Scatophaga 30
Scatophila 34
Scatopse 10
Scellus 19
Scenopinus 16
Sceptonia 9
Schizomyia 8
Schœnomyza 35
Schœnophilus 20
Sciara 8
Sciodromia 17
Sciomyza 31
Sciophila 10
Scoliocentra 30
Selachops 35
Seoptera 32
Sepedon 31
Sepsis 33
Sericomyia 23
Servillia 25

PAGE
Sicus 23
Simulium 10
Siphona 25
Siphonella 35
Sisyropa 24
Somolia 24
Spania 15
Sphærocera 36
Sphærophoria 22
Spathiophora 30
Sphecolyma 27
Sphegina 22
Sphenella 32
Sphixapata 26
Spilogaster 27
Spilographa 32
Stauferia 25
Stegana 34
Stenopteryx 36
Stevenia 26
Stilpon 17
Stomatomyia 24
Stomoxys 27
Stomphastica 30
Stratiomys 15
Sycorax 12
Symphoromyia 15
Symplecta 13
Sympycnus 20
Syntormon 19
Syritta 22
Syrphus 21
Tabanus 15
Tachina 24
Tachista 18
Tachydromia 18
Tachypeza 18
Tachytrechus 18
Tæniorhynchus ... 13
Tanypus 11
Tanytarsus 11
Tephritis 32
Tephrochlamys ... 30
Tephromyia 26
Tetanocera 31
Tetanops 31
Tetanura 33
Tethina 33
Tetragoneura 9
Teucophorus 20
Thalassomyia 11
Thamnodromia ... 17
Thaumastoptera ... 13

PAGE
Thelaira 24
Thelymorpha 24
Themira 33
Thereva 16
Theria 26
Therioplectes 15
Thinophilus 20
Thrypticus 19
Thryptocera 25
Thyreophora 30
Tichomyza 34
Tipula 14
Toxoneura 32
Trichina 17
Trichocera 14
Trichomyia 12
Trichonta 9
Trichopalpus 30
Trichopeza 17
Trichopticus 28
Trichopsylla 7
Trichosia 8
Trigonometopus ... 30
Trimerina 34
Trimicra 13
Trineura 36
Trixa 26
Tropidia 22
Trypeta 32
Typhlopsylla 7
Ula 14
Ulidia 32
Ulomyia 12
Urellia 32
Urophora 32
Urophylla 25
Verrallia 20
Viviania 23
Volucella 22
Wiedemannia 17
Winnertzia 8
Xanthandrus 21
Xanthochlorus 20
Xanthogramma ... 22
Xiphandrium 19
Xiphura 14
Xylomyia 15
Xylophagus 16
Xylota 22
Zodion 23
Zophomyia 25
Zygomyia 9
Zygoneura 8

PART II.

ADDITIONAL SPECIES ORIGINALLY DESCRIBED FROM BRITAIN, BUT PROBABLY UNRECOGNIZABLE UNLESS FROM TYPE.

PART II.

ADDITIONAL
SPECIES ORIGINALLY DESCRIBED FROM BRITAIN,

BUT PROBABLY UNRECOGNIZABLE UNLESS FROM TYPES.

CHIRONOMIDÆ.

CHIRONOMUS, *Mg.*

dissidens, *Wlk.*
ejuncidus, *Wlk.*
eminulus, *Wlk.*
futilis, *Wlk.*
notescens, *Wlk.*
objectans, *Wlk.*
perlevis, *Wlk.*
dispessus, *Wlk.*
mancus, *Wlk.*
convictus, *Wlk.*
incertus, *Wlk.*
tritus, *Wlk.*
modicellus, *Wlk.*
disclusus, *Wlk.*
inopertus, *Wlk.*
occipiens, *Wlk.*
obnixus, *Wlk.*
pulsus, *Wlk.*
malacus, *Wlk.*
imbecillis, *Wlk.*
obreptans, *Wlk.*
trichopus, *Wlk.*
pallidicornis, *Wlk.*
discrepans, *Wlk.*
tarsalis, *Wlk.*
enotatus, *Wlk.*
involitans, *Wlk.*
convectus, *Wlk.*
separatus, *Wlk.*
irretitus, *Wlk.*
morulus, *Wlk.*
patibilis, *Wlk.*
obvius, *Wlk.*
impar, *Wlk.*
incoactus, *Wlk.*
conversus, *Wlk.*
zonarius, *Wlk.*
intextus, *Wlk.*
oppetitus, *Wlk.*
marcidus, *Wlk.*
obvertens, *Wlk.*
convestitus, *Wlk.*
perreptans, *Wlk.*
hebescens, *Wlk.*
lentulus, *Wlk.*
perpessus, *Wlk.*
inscendens, *Wlk.*
minusculus, *Wlk.*
ingratus, *Wlk.*
nexilis, *Wlk.*
inserpens, *Wlk.*
mœrens, *Wlk.*
irritus, *Wlk.*
intrudens, *Wlk.*
pervulsus, *Wlk.*
excerptus, *Wlk.*
nactus, *Wlk.*
oblidens, *Wlk.*
effusus, *Wlk.*
incomptus, *Wlk.*
persidens, *Wlk.*
obditus, *Wlk.*
exspatiens, *Wlk.*
pertenuis, *Wlk.*
permacer, *Wlk.*
incallidus, *Wlk.*
obsepiens, *Wlk.*
paganicus, *Wlk.*
oppertus, *Wlk.*
novatus, *Wlk.*
offectus, *Wlk.*
opplens, *Wlk.*
nitidicollis, *Wlk.*
pergens, *Wlk.*
obtexens, *Wlk.*
deproperans, *Wlk.*
obsistens, *Wlk.*
pertractus, *Wlk.*
moturus, *Wlk.*
denotatus, *Wlk.*
alligatus, *Wlk.*
adjunctus, *Wlk.*
coæquatus, *Wlk.*
appositus, *Wlk.*
perexilis, *Wlk.*
compertus, *Wlk.*
contingens, *Wlk.*
fertus, *Wlk.*
habilis, *Wlk.*
ictericus, *Wlk.*
parilis, *Wlk.*
affinis, *Wlk.*
patens, *Wlk.*
cingulatus, *Wlk.*
expalpans, *Wlk.*
interseptus, *Wlk.*
impensus, *Wlk.*
nugax, *Wlk.*
divisus, *Wlk.*

LEPTIDÆ.

LEPTIS, *F.*

inutilis, *Wlk.*

EMPIDÆ.

RHAMPHOMYIA, *Mg.*

saniculæ, *Curt.*

EMPIS, *L.*

gracilis, *Curt.*
unicolor, *Wlk.*
bistortæ, *Wlk.*

TACHINIDÆ.

TACHINA, *Mg.*

flexa, *Wlk.*
interna, *Wlk.*
dispartita, *Wlk.*
disjuncta, *Wlk.*
nigrolineata, *Wlk.*
discrepans, *Wlk.*
immissa, *Wlk.*
retracta, *Wlk.*
comitata, *Wlk.*
intersecta, *Wlk.*
insuscepta, *Wlk.*
commissa, *Wlk.*
defecta, *Wlk.*

DEXIA, *Mg.*

fingens, *Wlk.*

PART III.

ADDITIONAL
REPUTED BRITISH DIPTERA.

PULICIDÆ.

TYPHLOPSYLLA, *Tasch.*
assimilis, *Tasch.*
orientalis, *Wagn.*

MYCETOPHILIDÆ.

CEROPLATUS, *Bosc.*
sesioides, *Whlbg.*

CULICIDÆ.

CULEX, *L.*
bicolor, *Mg.*

ASILIDÆ.

ISOPOGON, *Lw.*
hottentotus, *F.*

DYSMACHUS, *Lw.*
forcipatus, *L.*

THEREVIDÆ.

DIALINEURA, *Rnd.*
fuscipennis, *Mg.*

DOLICHOPODIDÆ.

NEURIGONA, *Rnd.*
Erichsonii, *Ztt.*

LONCHOPTERIDÆ.

LONCHOPTERA, *Mg.*
trilineata, *Ztt.*

PLATYPEZIDÆ.

PLATYPEZA, *Mg.*
boletina, *Fln.*

SYRPHIDÆ.

PARAGUS, *Ltr.*
albifrons, *Fln.*

CHILOSIA, *Mg.*
pubera, *Ztt.*
chloris, *Mg.*
olivacea, *Ztt.*

PLATYCHIRUS, *St. Farg.*
latimanus, *Whlbg.*

SYRPHUS, *F.*
nigritarsis, *Ztt.*

CONOPIDÆ.

CONOPS, *L.*
vitellina, *Lw.*

TACHINIDÆ.

MASICERA, *Mcq.*
usta, *Ztt.*

EXORISTA, *Mg.*
hortulana, *Mg.*
arvensis, *Mg.*
volatica, *Mcq.*
angustipennis, *Mg.*?
heraclei, *Mg.*
laticella, *Mcq.*
consanguinea, *Mcq.*
impavida, *Mcq.*
pallipes, *Fln.*
parens, *Rnd.*

PHOROCERA, *Dsv.*
angusta, *Mcq.*

EXORISTA, *Mg.*
aratoria, *Mg.*
grandis, *Ztt.*

TRIXA, *Mg.*
dorsalis, *Mg.*
variegata, *Mg.*

NEMORÆA, *Dsv.*
histrio, *Mg.*

TACHINA, *Mg.*
morosa, *Mg.*
terminalis, *Mg.*

PHOROSTOMA, *Dsv.*
maritima, *Schin.*

ANTHOMYIDÆ.

LIMNOPHORA, *Dsv.*
albifrons, *Rnd.*

PEGOMYIA, *Dsv.*
hyoscyami, *Pz.*
Winthemi, *Mg.*

CORDYLURIDÆ.

MICROPROSOPA, *Beck.*
pallicauda, *Ztt.*

SCIOMYZIDÆ.

LUCINA, *Mg.*
maculipes, *Rnd.*

ORTALIDÆ.

PTEROPŒCILA, *Lw.*
lamed, *Schrk.*

TRYPETIDÆ.

TRYPETA, *Mg.*
matricariæ, *Lw.*

SAPROMYZIDÆ.

SAPROMYZA, *Fln.*
platycephala, *Lw.*

GEOMYZIDÆ.

DIASTATA, *Mg.*
fumipennis, *Mg.*
basalis, *Mg.*

PHYTOMYZIDÆ.

PHYTOMYZA, *Fln.*
nigricornis, *Mcq.*
chaerophylli, *Kalt.*

BORBORIDÆ.

LIMOSINA, *Mg.*
cilifera, *Rnd.*

PHORIDÆ.

PHORA, *Ltr.*
nigricornis, *Egg.*

Cambridge:

PRINTED BY J. AND C. F. CLAY,

AT THE UNIVERSITY PRESS.

THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

AN INITIAL FINE OF 25 CENTS
WILL BE ASSESSED FOR FAILURE TO RETURN
THIS BOOK ON THE DATE DUE. THE PENALTY
WILL INCREASE TO 50 CENTS ON THE FOURTH
DAY AND TO $1.00 ON THE SEVENTH DAY
OVERDUE.

BIOLOGY LIBRARY

DUE

JUN 12 1981

Subject to Recall
Immediately

STANFORD
INTERLIBRARY LOAN
RETURNED TO
MAY 13 1981
MAY 29 1981

BIOLOGY LIBRARY

SENT ON ILL

JUL 02 1996

U. C. BERKELEY

LD 21-10m-7,'39 (402s)

A list of British Dip-
tera.

1901

BIOLOGY
LIBRARY
G

641423

BIOLOGY
LIBRARY
G

UNIVERSITY OF CALIFORNIA LIBRARY